

SECTION - 1

SAFFTY DATA SHFFT

Not For Sale in California

Unbelievable® Ink Out Revision Date 3/11/2019

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name Unbelievable!® Ink Out Item UIO

Product Use Pen. Inks & Marker Remover

Company Name Core Products Co., Inc. Office (800) 825-2673

> 401 Industrial Rd Fax (903) 567-1346

Canton Web www.coreproductsco.com TX 75103

EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

SECTION - 2 HAZARDS INFORMATION

Pictogram







Signal Word Danger

Hazards PHYSICAL / HEALTH / ENVIRONMENTAL HAZARD STATEMENTS **HAZARD CATEGORY CLASSIFICATION** CODE

> Category 3 Flammable Liquids H226 Flammable liquid and vapor (Does not sustain combustion) Category 2 H315 Causes skin irritation Skin Causes serious eye damage Category 1 Eves H318 STOT Single Exposure May cause drowsiness or dizziness Category 3 H336 Category 4 Chronic Toxicity H413 May cause long lasting harmful effects to aquatic life

Precautions HANDLING / PROTECTION / FIRE / STORAGE / DISPOSAL

CODE Keep out of reach of children P102 P103 Read label before use Keep away from heat / sparks / open flames / hot surfaces - No smoking P210 P261 Avoid breathing dust / fume / gas / mist / vapours / spray P262 Do not get in eyes, on skin, or on clothing Wash thoroughly after handling P264 P270 Do not eat, drink or smoke when using this product Wear protective gloves / protective clothing / eye protection / face protection P280

In case of fire: Use dry chemicals, CO2, alcohol foam. Water spray to cool or protect exposed materials P370+P378 P403+P405+P233+P235 Store in a well-ventilated place, Store locked up, Keep container tightly closed, Keep cool

P501 Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION - 3	COMPOSITION INFORMATION	(Exact percentage of the listed chemicals of composition has been withheld as a trade secret)					
CHEMICAL NAME	COMMON NAME AND SYNONYMS	CAS#	<u>IMPURITIES</u> <u>PERCENT</u>				
Anonic Surfactant	Supplier Proprietary Surfactant	Unknown	10 - 20%				
Alcohol Ethoxylate	Alcohols, C9-11, ethoxylated	68439-46-3	1 - 3%				
Benzyl Alcohol	Benzenemethanol	100-51-6	6 - 12%				
Acetone	2-propanone	67-64-1	Water < 0.5% 1 - 4%				

SECTION - 4 **FIRST AID MEASURES**

Eye Contact Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove

contact lenses if present and easy to do without injury to the eye and continue rinsing, Obtain immediate medical

attention, preferably from an ophthalmologist or Emergency Room

Skin Contact Wash contaminated skin with plenty of soap and water, Remove any contaminated clothing and wash before

reuse, If irritation is present or occurs obtain medical attention

Inhaled Not applicable under normal use. If irritation is experienced, move person to fresh air.

Ingested DO NOT INDUCE VOMITING, rinse mouth with water, and drink small quantities of water. Call a physician, or

poison control center, and get medical attention, If victim feels nauseous stop drinking, If vomiting occurs, keep

head below hips to prevent aspiration into the lungs

Important Effects Exposure may affect, central nervous system **Important Symptoms** Symptoms may include, narcotic effects

SECTION - 5 FIRE FIGHTING MEASURES

Extinguishing MediaDoes not sustain combustion, Use extinguishing media for surrounding fire

Explosion Hazard May flash if heated and ignited in an enclosed area, Containers may erupt during a fire when heated excessively

Hazardous Decomposition Burning or thermal decomposition can produce, carbon dioxide, carbon monoxide, sulfur oxides

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

FLAMMABLE LIQUIDS HAZARD CLASSIFICATION

Criteria Flash point ≥ 23°C (73°F) and ≤ 37.8°C (100°F)

NFPA Class I C GHS Category 3 WHMIS Class B-2

NFPA HAZARD RATINGS

Health 2 Flammability 2

Reactivity ()

Special Hazards



SECTION - 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill. Stop spill or release only if it can be done safely, Keep unprotected personnel from

entering the hazard area, Eliminate ignition sources and ventilate area

Personal Precautions Follow all safety precautions, Wear Personal Protective Equipment, Do not walk through spill, Contaminated

surfaces will be extremely slippery

Protective Equipment Safety Glasses, Chemical Gloves, Rubber Boots

Containment Use sand or inert non-combustible absorbent pads to prevent spill from spreading, Prevent spill from entering the

environment, waterways, sewers, basements or confined areas

Clean Up Procedures Small Spills: Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water,

Large Spills: Absorb spill with inert material, place in a chemical waste container, mop area with clean water

Disposal Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling Keep away from incompatible materials, or heat sources. Do not get in eyes, on skin, or clothing, or breathe mist,

vapor or fumes, Use appropriate safety equipment, and adequate ventilation, Do not smoke, eat or drink while using, Wash thoroughly after handling, Empty containers retain product residue (vapors, liquid or solids) observe

all precautions when handling

Storage Keep container closed when not in use, Store in a cool, well-ventilated area and away from incompatible materials,

Store away from heat sources

Incompatible Materials Incompatible with, acids, activated carbon, alkalies, bases, phosphorous oxychloride, reducing agents, strong

oxidizers

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS					Significant
CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Exposure
Benzyl Alcohol	None Established				
Alcohol Ethoxylate	None Established				EI
Anonic Surfactant	None Established				ED,SI
Acetone	500 ppm (A4)	750 ppm	750 ppm	1000 ppm (2400 mg/m³)	RT,CNS

PERSONAL PROTECTION



HMIS HAZARD RATINGS
Health
Flammability
Reactivity
0
Personal Protection
B

Eyes Wear safety glasses with side protection when handling / using this material

Hands Wear impervious gloves when handling / using this material

Response Access to an eye wash station is a recommended safety precaution for handling / using this type of material

Ventilation General Ventilation

SECTION - 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	35.3°C (95.5°F) - TAG Closed Cup	Specific Gravity / Density	1.018
Flammable Limits	Does not sustain combustion (ASTM D4206)	pH (± 0.3)	4.6
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	ND
Appearance	Clear	Boiling Point	ND
Odor	Light Mint	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mmHg)	ND
Solubility	Immiscible	Evaporation Rate (nBuAc=1)	ND
Volatiles	75%	Partition Coefficient	ND
VOC	10%	Molecular Weight (g/mol)	ND
LVP-VOC	ND	Decomposition Temperature	ND

SECTION - 10 STABILITY AND REACTIVITY

Reactivity No specific test data related to reactivity available for this product or its ingredients

Chemical Stability Stable under normal ambient and anticipated conditions of use

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials, Heat sources

Incompatible Materials Incompatible with, acids, activated carbon, alkalies, bases, phosphorous oxychloride, reducing agents, strong

oxidizers

Hazardous Decomposition Burning or thermal decomposition can produce, carbon dioxide, carbon monoxide, sulfur oxides

SECTION – 11 TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eve irritation, redness, tearing, pain, or possible eye damage

Skin Can cause skin irritation

Inhalation Mist, vapor or fumes may cause, drowsiness or dizziness

Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye damage, redness, burning, pain, or possible corneal injury

Skin Causes skin irritation, redness, burning, drying or cracking, defatting of the skin which may lead to dermatitis

Inhalation Mist, vapor or fumes may cause, drowsiness or dizziness

Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, Ingestion may affect, kidneys,

Symptoms may include, nausea, vomiting, abdominal pain

Acute Tox Calculated Oral: > 5,000 mg/kg Dermal: > 5,000 mg/kg Inhaled: > 50.0 mg/L

Acute Tox Category Not applicable (Oral >5,000 mg/kg), Not applicable (Dermal >5,000 mg/kg), Not applicable (Inhaled >50 mg/L) Vapors

Additional Info

Target Organs Kidneys, Eyes (Lens or cornea), Skin

Medical Conditions Preexisting, eye, skin, kidney, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME NTP ACGIH IARC GHS Category

None Listed NA NA NA NA

MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

None Listed NA NA

COMPONENTS ACUTE TOXICITY

CHEMICAL NAME	<u>Type</u>	<u>Form</u>	<u>Subject</u>	Result Value	Exposure Time	GHS Category
Acetone	LD50	Oral	Rat	5,800 mg/kg		(>2000 mg/kg)
	LD50	Inhaled	Rat	100.2 mg/L	4 Hours (Vapor)	(>20 mg/L)
	LD50	Dermal	Guinea pig	7,426 mg/kg		(>2000 mg/kg)
Alcohol Ethoxylate	LD50	Oral	Rat	> 2,000 mg/kg		(>2000 mg/kg)
	LD50	Dermal	Rabbit	> 2,000 mg/kg		(>2000 mg/kg)
Benzyl Alcohol	LD50	Oral	Rat	1,620 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rabbit	2,000 mg/kg		4 (>1000, ≤2000 mg/kg)
Anonic Surfactant	LD50	Oral	Rat	2,881 mg/kg		(>2000 mg/kg)
	LD50	Dermal	Rat	5,610 mg/kg		(>2000 mg/kg)

SECTION - 12	ECOLOGICAL INFORMATI	ION			
CHEMICAL NAME	<u>Type</u>	Subject Subject Latin	Result Value	Exposure Time	GHS Category
Acetone	LC50	Mosquito Fish (Gambusia affinis)	13,000 mg/L	48 Hours	4 (>100 mg/L)
	LC50	Rainbow Trout (Oncorhynchus mykiss)	5,540 mg/L	96 Hours	4 (>100 mg/L)
	EC50	Water Flea (Daphnia magna)	8,800 mg/L	48 Hours	4 (>100 mg/L)
Alcohol Ethoxylate	LD50	Fathead minnow (Pimephales promelas)	140 mg/L	96 Hours	4 (>100 mg/L)
	EC50	Water Flea (Daphnia magna)	5.3 mg/L	48 Hours	2 (>1, ≤10 mg/L)
Benzyl Alcohol	LC50	Fathead Minnow (Pimephales promelas)	460 mg/L	96 Hours	4 (>100 mg/L)
	EC50	Water Flea (Daphnia magna)	230 mg/L	24 Hours	4 (>100 mg/L)
	EC50	Green Algae (Pseudokirchneriella s.)	700 mg/L	72 Hours	4 (>100 mg/L)
Anonic Surfactant		No data available	-		

Presistence And Degradability This product is inherently biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In Soil This material is a mobile liquid

Other Adverse Effects Harmful to aquatic life with long lasting effects

SECTION – 13 DISPOSAL CONSIDERATIONS

DISPOSAI STATEMENT DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

Container Disposal Empty containers retain product residue (vapors, liquid or solid) observe all precautions when handling, Triple rinse

container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

Material Disposal

This material as supplied, when discarded or disposed of, is a hazardous waste according to Federal Regulations

(40.05B.004) the total discarded or disposed of, is a hazardous waste according to Federal Regulations

(40 CFR 261) due to its ignitability and due to the composition containing in some or all of its components, Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste, The transportation, storage, treatment and disposal of RCRA waster material must be conducted in compliance with 40 CFR 262, 263, 264 and 270, Disposal can only occur in properly permitted facilities, Chemical additions, processing or otherwise altering this material may make the waste management

information presented in this SDS incomplete, inaccurate, or otherwise inappropriate

SECTION – 14 TRANSPORT INFORMATION

DOT CLASSIFICATION

<u>UN Number</u> <u>Proper Shipping Name</u> n.o.s. (Chemicals) or "Limits"

Not Regulated Non Hazardous – Compounds Cleaning Liquid

Hazard Class Packing Group Label Codes Reportable Quantity (lb) Response Marine Pollutant Hazard Label Secondary

None None None None 154 No

Additional Info: Liquid does not sustain combustion by the prescribed procedure in the 49 CFR §173.120(a)(3)

Page 5 of 6				Un	ibeliev	able!®	Ink Out				Re	evision D	ate	3/11/2019
SECTION - 15	REGULATORY IN	IFORMAT	ION											
TSCA														
CHEMICAL NAME		S	ec 8(b) Acti	ve Invento	ory	Sec 8(d)) Health And	Safety	Sec 4(a)	Chemical Te	st Rules	Sec 12(b) Expor	rt Notificatio
Alcohol ethoxylate			Υe	es										
Acetone			Υe	es			Yes			Yes			Ye	S
Anonic Surfactant			Υe	es										
REPORTABLE QUAN	<u>ITITIES</u>		Extremely	Hazardou	IS		Reportable	Quantity	Emissio	on Reporting	 }			
CHEMICAL NAME		EPCRA T	PQ Sec 302	EPCRA	RQ Sec	c 304	CERCLA RO	Q Sec 103	TRI	Sec 313	RC	RA Code	RMF	P TQ Sec 11
Acetone							500	00			ι	J002		
SARA		S	ection 31	1				Secti	ion 311 /	312 Hazar	ds			
CHEMICAL NAME		Hazar	dous Che	emical		Acute	•	Chronic	F	lammable	· f	Pressure		Reactive
Benzyl Alcohol			Yes			Yes		Yes					-	
Alcohol Ethoxylate			Yes			Yes								
Acetone			Yes			Yes		Yes		Yes				
Anonic Surfactant			Yes			Yes								
RIGHT TO KNOW							STATE							
CHEMICAL NAME		CA	СТ	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
Benzyl Alcohol							Yes		Yes			Yes		
Acetone		Yes			Yes	Ye	s Yes	Yes	Yes		Yes	Yes	Yes	
CALIFORNIA 1	WARNING: Thi defects or repr										Californ	ia to cau	se can	cer, birth
CHEMICAL NAME		CAS#		Birth D	efects	;	Reprodu	ctive Ha	rm	Carcin	ogen		Develo	pmental
None Listed														
CLEAN AIR WATER	ACTS			Clean	Air Ac	cts				(Clean W	ater Acts	3	<u> </u>
CHEMICAL NAME		CAS#		HAP		Ozoi	ne Class 1	Ozo	ne Class	2	HS	PF	د	TP
None Listed											-			
NTERNATIONAL RE	GULATIONS -	The comp	onents of	this prod	uct are	listed o	on the chen	nical inve	ntories of	the follow	ing coun	ıtries:		
CHEMICAL NAME		Aust	tralia	Ca	anada	E	Europe (Ell	NECS)	Japa	an	Ko	orea		UK
Alcohol Ethoxylate		Y	es	,	Yes		Yes		Ye	s	Y	'es		Yes
Acetone		Y	es	,	Yes		Yes		Ye	s	Υ	'es		Yes
Anonic Surfactant		Y	es	•	Yes		Yes		Ye	s	Y	'es		Yes
WHMIS Classification	<u></u>													
CHEMICAL NAME			DSL	Class	Desc	cription	1							
Acetone, Benzyl Al	cohol		Yes	D-2B	Mate	erials C	Causing O	ther Tox	cic Effect	s; Toxic N	√aterial			
•				Б.						00 0 (400				

B-2

Flammable Liquids; Flashpoint < 37.8° C (100°F)

SECTION – 16 OTHER INFORMATION

<u>SDS</u>	LEGEND DESCRIPTION		
~	Approximately	KD	Kidney Damage (nephropathy)
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NE	Not Established
EPA	Environmental Protection Agency	NFPA	National Fire Protection Association
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NIOSH	National Institute for Occupational Safety and Health
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous Air Pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
IG/IH	(IG = Ingested) / (IH = Inhaled - Vapors / Mists / Gas)	UEL	Upper Explosive Limit

Core Products Co., Inc.

Print Date 3/18/2019

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

NOT TO BE SOLD IN THE STATE OF CALIFORNIA

Supersedes Safety Data Sheet Dated

1/22/2016