# Safety Data Sheet O.J.D.

# **SECTION I - IDENTIFICATION**

PRODUCT NAME: O.J.D.

PRODUCT USE: Heavy Duty Industrial Degreaser
COMPANY NAME: Continental Research Corporation
COMPANY ADDRESS: PO Box 15204 St. Louis MO 63110
COMPANY PHONE: 800-325-4869
EMERGENCY PHONE: 888-255-3924 (CHEM-TEL)

SECTION II - HAZARDS IDENTIFICATION

CLASSIFICATION: Flammable Aerosol: Category 1 Liquefied Gas Skin Irritant: Category 2 Eye Irritant: Category 2A Aspiration Hazard: Category 1 HAZARD STATEMENT(S): DANGER: Extremely 1

HAZARD STATEMENT(S): DANGER: Extremely Flammable Aerosol Contains gas under pressure: May explode if heated. Causes skin and serious eye irritation. May be fatal if swallowed and enters airways.

This product contains the following percentage of chemicals of unknown toxicity: 5%

PRECAUTIONARY STATEMENTS: Keep away from heat, sparks, open flames, and hot surfaces. -No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50C/122F. Store in a well-ventilated place. Wash hands thoroughly after handling. Wear protective gloves and eye protection. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting. Store locked up. Dispose of contents and container in accordance with local, state, and national regulations.



# SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS NUMBER	PERCENT
1, 8-p-Menthadiene	5989-27-5	7-13%
Diethylene Glycol n-Butyl Ether	112-34-5	7-13%
Isoparaffinic Hydrocarbon	64742-47-8	30-60%
1,1-Difluoroethane	75-37-6	7-13%

## SECTION IV - FIRST AID MEASURES

**EYES:** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

**INGESTION:** If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting.

**INHALATION**: Move to fresh air.

**SKIN:** If on skin: Wash with plenty of water. If skin irritation occurs: get medical attention.

ACUTE HEALTH HAZARDS: Eyes: redness, tearing, blurred vision

Skin: defatting and dermatitis

CHRONIC HEALTH HAZARDS: May be toxic to kidneys and liver.

NOTE TO PHYSICIAN: If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.

# SECTION V – FIRE-FIGHTING MEASURES

**EXTINGUISHING MEDIA:** Dry chemical, foam, or Carbon Dioxide (CO<sub>2</sub>). PAGE 1 of 4

# Safety Data Sheet O.J.D.

#### UNSUITABLE EXTINGUISHING MEDIA: Water spray/stream.

**SPECIAL FIRE FIGHTING PROCEDURES:** Wear full protective clothing and NIOSH approved SCBA with full facepiece operated in positive pressure or pressure demand. Use water mist to keep material cool in fire situations.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Keep away from sparks, open flames, and hot surfaces. No smoking. Do not spray on an open flame or other ignition source.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon

# SECTION VI - ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTIVE EQUIPMENT: Refer to section VIII for proper Personal Protective Equipment.

SPILL: Absorb spill with non-combustible material such as vermiculite, sand or earth.

**WASTE DISPOSAL:** Dispose of in accordance with local, state and federal regulations. Do not puncture container, wrap container and place in trash collection.

**RCRA STATUS:** Waste likely considered hazardous under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

## SECTION VII – HANDLING AND STORAGE

HANDLING AND STORAGE: Protect from sunlight. Store in a well ventilated place. Do not expose to temperatures exceeding 50°C/122°F. Pressurized container: Do not pierce or burn, even after use. Store locked up.

**OTHER PRECAUTIONS:** Vapors may collect in low lying areas. Keep out of the reach of children. Do not ingest. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes.

**INCOMPATIBILITY:** Strong oxidizing agents, strong reducing agents, acids.

# SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
1, 8-p-Menthadiene	Not Established	Not Established
Diethylene Glycol n-Butyl Ether	Not Established	25 ppm
Isoparaffinic Hydrocarbon	5 mg/m3	5 mg/m3
1,1-Difluoroethane	1000 ppm	1000 ppm

ENGINEERING CONTROLS / VENTILATION: Use only in well ventilated areas. Local ventilation/exhaust preferred. RESPIRATORY PROTECTION: Wear NIOSH/MSHA approved organic vapor respiratory protection if exposure limits are exceeded. PERSONAL PROTECTIVE EQUIPMENT: Safety glasses and chemical resistant gloves ADDITIONAL MEASURES: Wash hands thoroughly after handling.

# SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE:** Opaque tan spray **ODOR:** Citrus scent **ODOR THRESHOLD:** 1ppm **BOILING POINT:**  $> 212^{\circ}F(100^{\circ}C)$ FREEZING POINT: N/D FLAMMABILITY: Extremely Flammable Aerosol FLASH POINT: N/D AUTOIGNITION TEMPERATURE: N/D LOWER FLAMMABILITY LIMIT: N/D UPPER FLAMMABILITY LIMIT: N/D VAPOR PRESSURE (mm Hg): N/A **VAPOR DENSITY (AIR=1):** >1 @ 77°F (25°C) EVAPORATION RATE: Slow SPECIFIC GRAVITY (H2O=1): 0.875 **pH:** N/A SOLIDS (%): N/D **SOLUBILITY IN WATER:** Non-soluble PARTITION COEFFICIENT: n-OCTANOL/WATER (Kow): N/D

# Safety Data Sheet O.J.D.

VOLATILITY INCLUDING WATER (%): 95% VOLATILE ORGANIC COMPOUNDS (VOC): 10.7% DIELECTRIC STRENGTH (Volts): N/D DECOMPOSITION TEMPERATURE: N/D VISCOSITY: N/D

#### SECTION X – STABILITY AND REACTIVITY DATA

REACTIVITY: If exposed to strong oxidizers, presents explosion hazard. CHEMICAL STABILITY: Stable CONDITIONS TO AVOID: Excessive heat. INCOMPATIBILITY: Strong oxidizing agents, strong reducing agents, acids. HAZARDOUS DECOMPOSITION OR BY-PRODUCT: Oxides of carbon POSSIBLE HAZARDOUS REACTIONS: None Known

# SECTION XI – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Diethylene Glycol n-Butyl Ether (112-34-5) LD<sub>50</sub> (Oral, Rat): 3950 - 9740 mg/kg, (Mouse) 12,400 mg/kg, (Guinea Pig) 3000 - 4970 mg/kg, (Rabbit) 4450 mg/kg; LD<sub>50</sub> (Skin, Rabbit): 10,300 mg/kg, (Guinea Pig) 31,700 mg/kg, (Mouse & Rat) 5940 mg/kg; LC<sub>50</sub> (Inhalation, Rat): 960 ppm 1,8-p-Menthadiene (5989-27-5) LD<sub>50</sub> (Oral, Rat) 4400 mg/kg (Mouse) 5600 mg/kg; LD<sub>50</sub> (Dermal, Rabbit) 5000 mg/kg Isoparaffinic Hydrocarbon (64742-47-8) LD<sub>50</sub> (Oral, Rat) 5 g/kg; LD<sub>50</sub> (Dermal, Rabbit) 2 g/kg; LC<sub>50</sub> (Rat, 4hr) 5 mg/L Alcohol Ethoxylate (C9-C11) (68439-46-3) LD<sub>50</sub> (Dermal, Rabbit) >5 g/kg; LD<sub>50</sub> (Oral, Rat) 1.4 g/kg
ROUTES OF ENTRY: Eyes, Ingestion, Inhalation, Skin
EYES: May cause irritation, redness.
INGESTION: May cause gastrointestinal irritation, nausea, diarrhea, vomiting.
INHALATION: Causes mild irritation to the respiratory tract.
SKIN: May cause irritation, localized defatting.
MEDICAL CONDITION AGGRAVATED: None known
ACUTE HEALTH HAZARDS: Eyes: redness, tearing, blurred vision
Skin: defatting and dermatitis
CHPONIC HEAL TH HAZARDS: May be taxin to kidneys and liver

CHRONIC HEALTH HAZARDS: May be toxic to kidneys and liver. CARCINOGENICITY: OSHA: No ACGIH: No NTP: No IARC: No OTHER: N/A

# SECTION XII – ECOLOGICAL INFORMATION

**ECOLOGICAL INFORMATION: Diethylene Glycol n-Butyl Ether** (112-34-5) LC<sub>50</sub> (Lepomis macrochirus, 96hr) 1,300 mg/L; LC<sub>50</sub> (Leuciscus idus, 48hr) > 1,000 mg/L; EC<sub>50</sub> (Daphnia magna, 48hr) > 100 mg/L; IC<sub>50</sub> (Green Algae, 24hr) 100 mg/L; LC<sub>50</sub> (Pseudomonas Putida, 16hr) 1,170 mg/L **Isoparaffinic Hydrocarbon** (64742-47-8) Not expected to be harmful or demonstrate chronic toxicity toward aquatic organisms. Expected to be readily biodegradable. Do not contaminate water when disposing of equipment washwaters.

**BIODEGRADABILITY:** This product is biodegradable.

**BIOACCUMULATION:** This product is not expected to bioaccumulate.

**SOIL MOBILITY:** This product is mobile in soil.

OTHER ECOLOGICAL HAZARDS: None Known

# SECTION XIII – DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL:** Dispose of in accordance with local, state and federal regulations. Do not puncture container, wrap container and place in trash collection.

**RCRA STATUS:** Waste likely considered hazardous under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

## SECTION XIV - TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: Aerosols, Ltd. Qty. HAZARD CLASS/DIVISION: 2.1 UN/NA NUMBER: UN 1950 PACKAGING GROUP: N/A

AIR SHIPMENT PROPER SHIPPING NAME: Aerosols, Ltd. Qty. HAZARD CLASS/DIVISION: 2.1 UN/NA NUMBER: UN 1950

SHIPPING BY WATER: VESSEL (IMO/IMDG) PROPER SHIPPING NAME: Aerosols, Ltd. Qty. HAZARD CLASS/DIVISION: 2.1 UN/NA NUMBER: UN 1950 ENVIRONMENTAL HAZARDS WATER: N/A

## **SECTION XV - REGULATORY INFORMATION**

TSCA STATUS: All Chemicals are listed or exempt. CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): None SARA 311/312 HAZARD CATEGORIES: None SARA 313 REPORTABLE INGREDIENTS: Diethylene Glycol n-Butyl Ether (DB) (112-34-5) **CLEAN WATER ACT:** None STATE REGULATIONS: California Proposition 65: None Isoparaffinic Hydrocarbons (64742-47-8) RTK - PA, NJ, RI Diethylene Glycol n-Butyl Ether (DB) (112-34-5) RTK - PA, NJ INTERNATIONAL REGULATIONS: Glycol Ether DB - 112-34-5: European Union - EINECS, Australia - AICS, Japan - ENCS, Korean - ECL, (WHMIS) Canada NFPA HEALTH: 2 **HMIS HEALTH:** 2 **NFPA FLAMMABILITY: 2** HMIS FLAMMABILITY: 2 NFPA REACTIVITY: 0 **HMIS REACTIVITY:** 0 **NFPA OTHER:** None **HMIS PROTECTION:** В

# **SECTION XVI - ADDTIONAL INFORMATION**

PREPARATION BY: EHSAdministrator DATE PREPARED: 12/30/2013 REVISION DATE: 11/18/2014

N/A = Not Applicable; N/D = Not Determined

**DISCLAIMER:** To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.