

Safety Data Sheet

Issue Date: 27-Dec-2011	Revision Date:	19-Aug-2014		Version 1
	1. IDEN	TIFICATION		
<u>Product Identifier</u> Product Name	Buckeye Lucent			
Other means of identification SDS #	BE-5105			
Product Code	5105			
Recommended use of the chemica Recommended Use	l and restrictions on use Floor Finish, Water Base			
Details of the supplier of the safety Supplier Address Buckeye International, Inc. 2700 Wagner Place Maryland Heights, MO 63043 USA	data sheet			
Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	1-651-632-8956 (Interna 1-800-303-0441 (North / INFOTRAC 1-352-323-3 1-800-535-5053 (North /	America) 500 (International)		
	2. HAZARDS	DENTIFICATION		
Appearance White opaque solution	Physical S	State Liquid	Odor	Sweet polymer scent No fragrance added
Classification				
Reproductive toxicity			Ca	tegory 1B
<u>Signal Word</u> Danger				
Hazard Statements	ild			

May damage fertility or the unborn child



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Styrene-Acrylic Polymer	Proprietary	<42
Water	7732-18-5	>30.4
Ethylene Copolymer Emulsion	67892-91-5	<10
Acrylate Copolymer	63744-68-3	<5
Di(ethylene glycol) ethyl ether	111-90-0	4.6
tributoxyethyl phosphate	78-51-3	<2
Dibutyl phthalate	84-74-2	<1

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

General Advice	If exposed or concerned: Get medical advice/attention.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician if irritation persists.	
Skin Contact	Wash with soap and water. If skin irritation persists, call a physician. Take off contaminated clothing. Wash contaminated clothing before reuse.	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician if you feel unwell.	
Ingestion	Drink 2-3 large glasses of water. Do not induce vomiting. Call a physician. Never give anything by mouth to an unconscious person.	

Most important symptoms and effects

Symptoms Eye contact may cause redness or burning sensation. May cause redness of skin or a warming sensation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Combustion products may be toxic.

Hazardous Combustion Products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required.	
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.	

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection recommended in Section 8. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep container tightly closed and store in a cool, dry and well-ventilated place. Keep
container closed when not in use. Keep from freezing. Store at room temperature. Do not
store above 110°F. Store locked up.

Incompatible Materials Acids. Strong alkalis. Heavy metal salts.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Dibutyl phthalate	TWA: 5 mg/m ³	TWA: 5 mg/m ³	IDLH: 4000 mg/m ³
84-74-2	-	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Risk of contact: Wear approved safety goggles.
Skin and Body Protection	Rubber gloves. Suitable protective clothing.
Respiratory Protection	Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Appearance	Liquid White opaque solution	Odor	Sweet polymer scent No fragrance added
Color	White opaque	Odor Threshold	Not determined
<u>Property</u> pH Melting Point/Freezing Point Boiling Point/Boiling Range	<u>Values</u> 7.4-7.8 (conc. and use dilution) Not determined 100 °C / 212 °F	<u>Remarks • Method</u>	
Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity	None 1.0 Liquid-Not Applicable Not Applicable Not determined Not determined 1.03 Miscible in water Not determined Not determined	Tag Closed Cup (Water = 1)	
Explosive Properties Oxidizing Properties	Not determined Not determined		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep separated from incompatible substances. Keep out of reach of children.

Incompatible Materials Acids. Strong alkalis. Heavy metal salts.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	The information below is for repeated and prolonged contact in an occupational setting. does not apply to normal product use	lt
Eye Contact	Avoid contact with eyes.	
Skin Contact	Avoid contact with skin.	
Inhalation	Avoid breathing vapors or mists.	
Ingestion	Do not ingest.	

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Di(ethylene glycol) ethyl ether	= 1920 mg/kg (Rat)	= 4200 µL/kg (Rabbit) = 6 mL/kg	> 5240 mg/m³ (Rat)4 h
111-90-0		(Rat)	
tributoxyethyl phosphate	= 3000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 6.4 mg/L (Rat)4 h
78-51-3			
Dibutyl phthalate	= 6300 mg/kg (Rat)	> 20000 mg/kg (Rabbit)	-
84-74-2			

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity	May damage fertility or the unborn child.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

<u>Ecotoxicity</u> Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
Di(othylopo glycol) othyl		11400 - 15700: 96 h	microorganisms	2040 4670: 48 h Donhnia
Di(ethylene glycol) ethyl ether				3940 - 4670: 48 h Daphnia
111-90-0		Oncorhynchus mykiss mg/L LC50 flow-through 11600 -		magna mg/L EC50
111-90-0		16700: 96 h Pimephales		
		promelas mg/L LC50		
		flow-through 10000: 96 h		
		Lepomis macrochirus mg/L		
		LC50 static 19100 - 23900:		
		96 h Lepomis macrochirus		
		mg/L LC50 flow-through		
		13400: 96 h Salmo gairdneri		
		mg/L LC50 flow-through		
tributoxyethyl phosphate		10.4 - 12.0: 96 h Pimephales		
78-51-3		promelas mg/L LC50		
		flow-through		
Dibutyl phthalate	1.2: 72 h Desmodesmus	0.71 - 1.2: 96 h Pimephales	EC50 = 10.9 mg/L 30 min	2.99: 48 h Daphnia magna
84-74-2	subspicatus mg/L EC50 0.4:	promelas mg/L LC50	EC50 = 10.9 mg/L 5 min	mg/L EC50 Static 3.4: 48 h
	96 h Pseudokirchneriella	flow-through 0.31 - 5.45: 96	EC50 = 11.1 mg/L 15 min	Daphnia magna mg/L EC50
	subcapitata mg/L EC50	h Pimephales promelas mg/L	EC50 = 2.2 mg/L 24 h	
	static	LC50 static 1.24: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 flow-through 1.24 - 5.3:		
		96 h Oncorhynchus mykiss		
		mg/L LC50 static 1.38 - 1.74:		
		96 h Lepomis macrochirus		
		mg/L LC50 flow-through 0.42		
		- 1.28: 96 h Lepomis		
		macrochirus mg/L LC50		
		static		

Persistence/Degradability Not determined.

Bioaccumulation

Not determined.

<u>Mobility</u>

Chemical Name	Partition Coefficient
Di(ethylene glycol) ethyl ether	-0.8
111-90-0	
tributoxyethyl phosphate	4.78
78-51-3	
Dibutyl phthalate	5.38
84-74-2	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Dibutyl phthalate	U069	Included in waste stream:		U069
84-74-2		F039		

14. TRANSPORT INFORMATION

IMDG	Not regulated
IATA	Not regulated
DOT	Not regulated
<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

15. REGULATORY INFORMATION

International Inventories

TSCA

Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Dibutyl phthalate	10 lb		RQ 10 lb final RQ
84-74-2			RQ 4.54 kg final RQ

<u>SARA 313</u>

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Di(ethylene glycol) ethyl ether - 111-90-0	111-90-0	4.6	1.0
Dibutyl phthalate - 84-74-2	84-74-2	<1	1.0

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Dibutyl phthalate 84-74-2(<1)	10 lb	Х	Х	Х

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Dibutyl phthalate - 84-74-2	Developmental
	Female Reproductive
	Male Reproductive

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Di(ethylene glycol) ethyl ether 111-90-0	Х		Х
Dibutyl phthalate 84-74-2	Х	X	Х

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
	0	0	0	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	Not determined	Not determined	Not determined	Not determined

Issue Date:	27-Dec-2011
Revision Date:	19-Aug-2014
Revision Note:	New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet