(#05051) Print Date 05/30/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	SSS® Journey Furniture Cleaner & Polish
Material number	:	A00133
Manufacturer or supplier's of	deta	ils
Company	:	Triple S
Address	:	2 Executive Park Drive Billerica, MA 01862
Telephone	:	978-667-7900

Emergency telephone numbers		
For SDS Information	:	978-667-7900
For a Medical Emergency	:	1-888-779-1339
For a Transportation	:	1-888-779-1339
Emergency		

Revision Date 04/29/2015

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Version 1.0

Appearance	Aerosol containing a liquefied gas
Colour	no data available
Odour	no data available

GHS Classification

Gases under pressure	: Liquefied gas
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H280 Contains gas under pressure; may explode if heated.
Precautionary statements	 Storage: P403 Store in a well-ventilated place. P405 Store locked up. P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Potential Health Effects	
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

SAFETY DATA SHEET							
SSS® JOURNEY FURNITURE CLEANER & POLISH (#05051)							
Version 1.0	Revision Date 04/29/2015	Print Date 05/30/2015					
ACGIH	No component of this product present a equal to 0.1% is identified as a carcino carcinogen by ACGIH.						
OSHA	No component of this product present a equal to 0.1% is identified as a carcino	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.					
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.						

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
propane	74-98-6	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 Do not leave the victim unattended. Move out of dangerous area. Show this safety data sheet to the doctor in attendance.
If inhaled	 Remove to fresh air. Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.
In case of skin contact	 Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. If on clothes, remove clothes.
In case of eye contact	 Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, consult a specialist. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	 Keep respiratory tract clear. Rinse mouth with water. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2)
		Dry chemical
		Water spray jet

(#05051) Print Date 05/30/2015

Version 1.0	Revision Date 04/29/2015	Print Date 05/30/2015
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fightir courses.	ng to enter drains or water
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	: Use extinguishing measures that a circumstances and the surrounding	
Special protective equipment for firefighters	: Wear self-contained breathing app necessary.	aratus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	 Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventilated place.

 Version 1.0
 Revision Date 04/29/2015
 Print Date 05/30/2015

 Electrical installations / working materials must comply with the technological safety standards.
 must comply with the technological safety standards.

Materials to avoid : Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0

Personal protective equipment		
Respiratory protection	Use respiratory protection unless adequate local exhaus ventilation is provided or exposure assessment demons that exposures are within recommended exposure guide	trates
Hand protection		
Remarks	The suitability for a specific workplace should be discuss with the producers of the protective gloves.	sed
Eye protection	Safety glasses Ensure that eyewash stations and safety showers are cl the workstation location.	lose to
Skin and body protection	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work p	lace.
Hygiene measures	Wash hands before breaks and at the end of workday. When using do not eat or drink. When using do not smoke.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a liquefied gas
Colour	:	no data available
Odour	:	no data available
Odour Threshold	:	no data available
рН	:	8.0 - 9.0

(#05051) Print Date 05/30/2015

Version 1.0		Revision Date 04/29/2015	Print
Melting point/freezing point	:	not applicable	
Boiling point	:	no data available	
Flash point	:		
		not applicable	
Evaporation rate	:	no data available	
Flammability (solid, gas)	:	Not classified as a flammability hazard	
Line on our locione lineit			
Upper explosion limit	:	no data available	
Lower explosion limit	:	no data available	
Vapour pressure	:	no data available	
Relative vapour density	:	no data available	
Density	:	0.95 g/cm3	
Solubility(ies)			
Water solubility	:	partly soluble	
Solubility in other solvents	:	not determined	
Partition coefficient: n- octanol/water	:	no data available	
Auto-ignition temperature	:	not determined	
Thermal decomposition	:	no data available	
Viscosity			
Viscosity, kinematic	:	no data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

Print Date 05/30/2015

(#05051)

Version 1.0

Revision Date 04/29/2015

propane:

Acute inhalation toxicity

: LC50 mouse: 1,237 mg/l Exposure time: 2 h

LC50 rat: 658 mg/l Exposure time: 4 h

LC50 rat: 1,355 mg/l

Skin corrosion/irritation

Product:

Remarks: slight irritation

Serious eye damage/eye irritation

Product:

Remarks: May irritate eyes.

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

propane:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Version 1.0	Revision Date 04/29/2015	Print Date 05/30/2015
Persistence and degradability		
no data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water	: Remarks: no data available	
Mobility in soil		
no data available		
Other adverse effects		
no data available <u>Product:</u>		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Secti Substances	,
Remarks	This product neither contains, no with a Class I or Class II ODS as Clean Air Act Section 602 (40 CF + B).	defined by the U.S.
Additional ecological information	: no data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of in accordance with local regulations. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSÕLS, NON-FLAMMABLE, 2.2, - Limited quantity (#05051)

Version 1.0

Revision Date 04/29/2015

(#05051)

Print Date 05/30/2015

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Sudden Release of Pressure Hazard
SARA 302	: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
The components of this pro	lust are reported in the following inventories:

The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	This product contains one or several components that are not on the
	Canadian DSL nor NDSL.
AICS	Not in compliance with the inventory
NZIoC	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Version 1.0

Revision Date 04/29/2015

(#05051)

Print Date 05/30/2015

Further information



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

OSHA GHS Label Information:



We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.