

# SAFETY DATA SHEET

## CRYSTAL SHEEN RESIN PART A

According to Regulation (EC) No 1907/2006

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME                    CRYSTAL SHEEN RESIN PART A

APPLICATION                    Two component epoxy based coating compound

SUPPLIER                        ENVIRONMENTAL TECHNOLOGY  
INC.  
POST OFFICE BOX 365  
SOUTH BAY DEPOT ROAD  
FIELDS LANDING  
CA 95537  
USA  
Tel.: 001707 443-9323  
Fax. : 001707 443-7962  
email: mail@eti-usa.com

EMERGENCY TELEPHONE        +1 707 443-9323  
Hours of operation  
Monday to Friday  
08:00-16:30 PST (Pacific Standard Time)

### 2 HAZARDS IDENTIFICATION

Irritating to eyes and skin. May cause sensitisation by skin contact. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CLASSIFICATION                Xi;R36/38. R43. N;R51/53.

#### ENVIRONMENT

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### HUMAN HEALTH

See section 11 for additional information on health hazards.

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
EPOXY RESIN (Number average MW <= 700 )	500-033-5	25068-38-6	60-100%	R43 Xi;R36/38 N;R51/53
OXIRANE, MONO [(C12-14- ALKYL OXY)METHYL] DERIVS		68609-97-2	5-10%	R43 Xi;R38

The Full Text for all R-Phrases are Displayed in Section 16

### 4 FIRST-AID MEASURES

#### GENERAL INFORMATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

#### INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

#### INGESTION

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention.

#### SKIN CONTACT

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.

#### EYE CONTACT

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

### 5 FIRE-FIGHTING MEASURES

## CRYSTAL SHEEN RESIN PART A

### EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

### SPECIAL FIRE FIGHTING PROCEDURES

Cool containers exposed to flames with water until well after the fire is out. Keep run-off water out of sewers and water sources. Dike for water control.

### SPECIFIC HAZARDS

Fire creates: Toxic gases/vapours/fumes of Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

### PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

## 6 ACCIDENTAL RELEASE MEASURES

### PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

### ENVIRONMENTAL PRECAUTIONS

Avoid discharge to the aquatic environment.

### SPILL CLEAN UP METHODS

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

## 7 HANDLING AND STORAGE

### USAGE PRECAUTIONS

Read and follow manufacturer's recommendations. Provide good ventilation. Avoid spilling, skin and eye contact. Persons susceptible for allergic reactions should not handle this product.

### STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### PROTECTIVE EQUIPMENT



### ENGINEERING MEASURES

Provide adequate ventilation.

### RESPIRATORY EQUIPMENT

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

### HAND PROTECTION

Use protective gloves. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

### EYE PROTECTION

Wear tight-fitting goggles or face shield.

### OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

### HYGIENE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

### APPEARANCE

Clear Viscous liquid

### COLOUR

Colourless

**CRYSTAL SHEEN RESIN PART A**

ODOUR	Characteristic		
SOLUBILITY	Slightly soluble in water.		
BOILING POINT (°C)	>176 deg C	RELATIVE DENSITY	1.15
VAPOUR DENSITY (air=1)	>1	FLASH POINT (°C)	>70 Deg C TOC (Tag open cup).

**10 STABILITY AND REACTIVITY****STABILITY**

Stable under normal temperature conditions and recommended use.

**CONDITIONS TO AVOID**

Avoid excessive heat for prolonged periods of time.

**MATERIALS TO AVOID**

Strong oxidising substances.

**HAZARDOUS DECOMPOSITION PRODUCTS**

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

**11 TOXICOLOGICAL INFORMATION****INHALATION**

Not relevant at normal room temperatures. When heated, irritating vapours may be formed.

**INGESTION**

May cause discomfort if swallowed. May cause stomach pain or vomiting.

**SKIN CONTACT**

Irritating to skin. May cause sensitisation by skin contact.

**EYE CONTACT**

Irritating and may cause redness and pain.

**HEALTH WARNINGS**

May cause sensitisation by skin contact. Preparation contains an epoxy resin, which may cause sensitisation and development of allergy.

**12 ECOLOGICAL INFORMATION****ECOTOXICITY**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**13 DISPOSAL CONSIDERATIONS****DISPOSAL METHODS**

Recover and reclaim or recycle, if practical. Do not allow runoff to sewer, waterway or ground. Dispose of waste and residues in accordance with local authority requirements.

**14 TRANSPORT INFORMATION**

UK ROAD CLASS

9

PROPER SHIPPING NAME

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW <= 700 ))

UN NO. ROAD

3082

UK ROAD PACK GR.

III

ADR CLASS NO.

9

**CRYSTAL SHEEN RESIN PART A**

ADR CLASS	Class 9: Miscellaneous dangerous substances and articles.	ADR PACK GROUP	III
TUNNEL RESTRICTION CODE	(E)	HAZARD No. (ADR)	90
ADR LABEL NO.	9	HAZCHEM CODE	3Z
CEFIC TEC(R) NO.	90GM6-III	RID CLASS NO.	9
RID PACK GROUP	III	UN NO. SEA	3082
IMDG CLASS	9	IMDG PACK GR.	III
EMS	F-A, S-F	UN NO. AIR	3082
ICAO CLASS	9	AIR PACK GR.	III

**15 REGULATORY INFORMATION**

## LABELLING



Irritant



Dangerous for the environment

## CONTAINS

EPOXY RESIN (Number average MW <= 700 )  
 OXIRANE, MONO [(C12-14- ALKYLOXY)METHYL] DERIVS

## RISK PHRASES

R36/38 Irritating to eyes and skin.  
 R43 May cause sensitisation by skin contact.  
 R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## SAFETY PHRASES

S24/25 Avoid contact with skin and eyes.  
 S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 S29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.  
 S37 Wear suitable gloves.  
 S46 If swallowed, seek medical advice immediately and show this container or label.  
 S61 Avoid release to the environment. Refer to special instructions/safety data sheets.  
 S64 If swallowed, rinse mouth with water (only if the person is conscious).  
 P5 Contains epoxy constituents. See information supplied by the manufacturer.

## EU DIRECTIVES

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

## STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations.

## APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

## GUIDANCE NOTES

Workplace Exposure Limits EH40.

**16 OTHER INFORMATION**

REVISION DATE

July 2014

**CRYSTAL SHEEN RESIN PART A**

## RISK PHRASES IN FULL

R36/38	Irritating to eyes and skin.
R38	Irritating to skin.
R43	May cause sensitisation by skin contact.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in a process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.