

SAFETY DATA SHEET

Rub n Buff, ANTIQUE WHITE

1. Identification

Product identifier

Product name Rub n Buff, ANTIQUE WHITE

Product number Rub n Buff, ANTIQUE WHITE

Recommended use of the chemical and restrictions on use

Application metallic wax

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Flam. Sol. 1 - H228

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Resp. Sens. 1 - H334 STOT SE 3 - H335 STOT RE 2 - H373

Environmental hazards Not Classified

Label elements

Pictogram



Signal word

Danger

Hazard statements

H228 Flammable solid.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.
H373 May cause damage to organs through prolonged or repeated exposure.

Rub n Buff, ANTIQUE WHITE

Precautionary statements	<p>P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking.</p> <p>P240 Ground/ bond container and receiving equipment.</p> <p>P241 Use explosion-proof electrical equipment.</p> <p>P260 Do not breathe vapor/ spray.</p> <p>P261 Avoid breathing vapor/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P284 [In case of inadequate ventilation] wear respiratory protection.</p> <p>P302+P352 If on skin: Wash with plenty of water.</p> <p>P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P312 Call a poison center/ doctor if you feel unwell.</p> <p>P314 Get medical advice/ attention if you feel unwell.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P332+P313 If skin irritation occurs: Get medical advice/ attention.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p> <p>P342+P311 If experiencing respiratory symptoms: Call a poison center/ doctor.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</p> <p>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
Supplemental label information	<p>WARNING:FLAMMABLE. MAY BE HARMFUL IF SWALLOWED. VAPOR HARMFUL.</p> <p>Contains: PETROLEUM DISTILLATES</p> <p>PRECAUTIONS:Avoid ingestion. Wash hands immediately after use. Do not store or use near heat or flame. Use only with adequate ventilation. KEEP OUT OF REACH OF CHILDREN.</p> <p>FIRST AID TREATMENT:If inhalation symptoms occur, move to fresh air. If symptoms persist, see a physician. If swallowed, get prompt medical attention. For further information, contact a national poison control number; 800-222-1222.</p>
Contains	s69 solvent, V391 varnish
Other hazards	none present.

3. Composition/information on ingredients

Mixtures

s69 solvent	10-30%
CAS number: —	
Classification	
Flam. Liq. 3 - H226	
Skin Irrit. 2 - H315	
Eye Irrit. 2A - H319	
STOT SE 3 - H335	

Rub n Buff, ANTIQUE WHITE

V391 varnish	10-30%
CAS number: —	
Classification	
Flam. Liq. 3 - H226	
Skin Irrit. 2 - H315	
Eye Irrit. 2A - H319	
Resp. Sens. 1 - H334	
STOT RE 2 - H373	

The full text for all hazard statements is displayed in Section 16.

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

Inhalation	Move affected person to fresh air at once.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.
Skin Contact	Wash skin thoroughly with soap and water.
Eye contact	Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust/mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Prolonged skin contact may cause redness and irritation.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product increases the risk of fire and may accelerate combustion.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Rub n Buff, ANTIQUE WHITE

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Avoid spreading dust or contaminated materials.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Protective equipment



Appropriate engineering controls No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2. Provide adequate general and local exhaust ventilation.

Eye/face protection Wear eye protection.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures When using do not eat, drink or smoke.

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Colored paste.

Color Various colors.

Odor Petroleum.

Odor threshold No information available.

pH 6-8

Rub n Buff, ANTIQUE WHITE

Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	> 29°C/84°F PMCC (Pensky-Martens closed cup).
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none
Other information	Not applicable.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	Stable at normal ambient temperatures and when used as recommended.
Possibility of hazardous reactions	None known.
Conditions to avoid	None known.
Materials to avoid	None known.
Hazardous decomposition products	None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

Rub n Buff, ANTIQUE WHITE

12. Ecological Information

Ecotoxicity	Not regarded as dangerous for the environment.
<u>Toxicity</u>	
Toxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
<u>Persistence and degradability</u>	
Persistence and degradability	No data available.
Biodegradation	Not inherently biodegradable.
<u>Bioaccumulative potential</u>	
Partition coefficient	No information available.
<u>Mobility in soil</u>	
Mobility	Semi-mobile.
<u>Results of PBT and vPvB assessment</u>	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
<u>Other adverse effects</u>	
Other adverse effects	None known.

13. Disposal considerations

<u>Waste treatment methods</u>	
General information	Dispose of waste product or used containers in accordance with local regulations

14. Transport information

General	This package is shipped in accordance with ADR SP375, IATA A197 & IMDG 2.10.2.7. As supplied, this product is consigned under the Excepted Quantities provisions. For quantities shipped less than 30ml inner pack, total pack of 500ml
<u>UN Number</u>	
UN No. (TDG)	1325
UN No. (IMDG)	1325
UN No. (ICAO)	1325
UN No. (DOT)	1325
<u>UN proper shipping name</u>	
Proper shipping name (TDG)	FLAMMABLE SOLID, ORGANIC, N.O.S.
Proper shipping name (IMDG)	FLAMMABLE SOLID, ORGANIC, N.O.S.
Proper shipping name (ICAO)	FLAMMABLE SOLID, ORGANIC, N.O.S.
Proper shipping name (DOT)	FLAMMABLE SOLID, ORGANIC, N.O.S.
<u>Transport hazard class(es)</u>	
TDG class	4.1

Rub n Buff, ANTIQUE WHITE

TDG label(s) 4.1

IMDG Class 4.1

ICAO class/division 4.1

Transport labels**Packing group**

TDG Packing Group II

IMDG packing group II

ICAO packing group II

DOT packing group II

Environmental hazards**Environmentally Hazardous Substance**

No.

Special precautions for user**EmS** F-A, S-G**15. Regulatory information****International Regulations****US State Regulations****California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List*titanium dioxide*

30-60%

Grolleg kaolin

5-10%

Rhode Island "Right To Know" List*titanium dioxide*

30-60%

Grolleg kaolin

5-10%

Minnesota "Right To Know" List*titanium dioxide*

30-60%

Grolleg kaolin

5-10%

New Jersey "Right To Know" List

Rub n Buff, ANTIQUE WHITE

titanium dioxide

30-60%

Grolleg kaolin

5-10%

Pennsylvania "Right To Know" List

titanium dioxide

30-60%

Grolleg kaolin

5-10%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Oil Varnish, Petroleum Distillate , Carnauba Wax8015-86-9, Kaolin Clay1332-58-7, Various Pigments
Revision date	9/20/2016
Revision	3
Supersedes date	4/18/2016
SDS No.	5511
Hazard statements in full	H226 Flammable liquid and vapor. H228 Flammable solid. H315 Causes skin irritation. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.