

# SAFETY DATA SHEET

Issuing Date 07-Jan-2014 Revision Date 25-May-2016 Revision Number 2

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**GHS** product identifier

Product Name Attack

Other means of identification

Product Code(s) 6100

**UN-Number** None

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Degreaser

Uses advised against No information available

Supplier's details

**Supplier Address** 

Sunburst Chemicals, Inc. 220 W. 86th St. Bloomington, MN 55420

TEL: 952-884-3144

**Emergency telephone number** 

**Emergency Telephone** 

Number

1-866-303-6943

# 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Acute Oral Toxicity	Category 4
Skin Corrosion/Irritation	Category 1 Subcategory 1A
Serious Eye Damage/Eye Irritation	Category 1

# GHS Label elements, including precautionary statements

# **Emergency Overview**

Signal Word Danger

**Hazard Statements** 

Harmful if swallowed

Causes severe skin burns and eye damage



Appearance Opaque Tan

Physical State Liquid

Odor Butyl ether

### **Precautionary Statements**

#### Prevention

- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Do not breathe dust/fume/gas/mist/vapors/spray
- Wear protective gloves/protective clothing/eye protection/face protection

#### **General Advice**

• Immediately call a POISON CENTER or doctor/physician

#### **Eves**

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician.

#### Skin

- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse

#### Inhalation

• IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Ingestion

- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- Do NOT induce vomiting

#### Storage

Store locked up

# Disposal

• Dispose of contents/container to an approved waste disposal plant

### **Hazard Not Otherwise Classified (HNOC)**

Not applicable

### Other information

No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Sodium hydroxide	1310-73-2	3 - 10	*
Benzenesulfonic acid, C10-16-alkyl derivatives	68584-22-5	3 - 10	*
2-Butoxyethanol	111-76-2	3 - 5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

Description of necessary first-aid measures

**General Advice** Immediate medical attention is required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek

immediate medical attention/advice.

**Skin Contact**Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. Wash contaminated clothing before reuse. Seek immediate medical

attention/advice.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

**Ingestion** Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an

unconscious person. If symptoms persist, call a physician.

### Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Water. Carbon dioxide (CO 2). Dry chemical.

Unsuitable Extinguishing Media None

#### Specific Hazards Arising from the Chemical

None known

Hazardous Combustion Products None.

**Explosion Data** 

Sensitivity to Mechanical Impact None
Sensitivity to Static Discharge None

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Avoid inhalation of dust. Ensure adequate

ventilation. Use personal protective equipment.

# **Environmental Precautions**

**Environmental Precautions** Avoid release to the environment. Collect spillage. See Section 12 for additional Ecological

Information Dispose of contents/container to an approved waste disposal plant. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.

### Methods and materials for containment and cleaning up

Methods for Containment Methods for Cleaning Up Prevent further leakage or spillage if safe to do so.

Absorb spilled material with an absorbent material such as clay, sawdust, or sand. Sweep up and shovel into suitable containers for disposal. After complete clean up by sweeping,

area may be washed with large amounts of water if necessary

# 7. HANDLING AND STORAGE

### Precautions for safe handling

**Handling** Handle in accordance with good industrial hygiene and safety practice. Ensure adequate

ventilation. Avoid contact with skin, eyes and clothing. Do not breathe vapors/dust. Do not

eat, drink or smoke when using this product.

# Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep container closed when not in use. Keep out of the

reach of children.

Incompatible Products None

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m <sup>3</sup>	TWA: 5 ppm
Sodium hydroxide	Ceiling: 2 mg/m <sup>3</sup>	2 mg/m3 Ceiling	IDLH: 10mg/m3
1310-73-2		2mg/m3 TWA	Ceiling: 2mg/m3

### Appropriate engineering controls

**Engineering Measures** Eyewash stations

Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection Skin and Body Protection**Tightly fitting safety goggles.
Rubber gloves. Rubber apron.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn.

**Hygiene Measures** Wash thoroughly after handling.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical StateLiquidAppearanceOpaque Tan

OdorButyl etherOdor ThresholdNo information available

Property
pH

13.2 – 13.6

Melting Point/Range
Boiling Point/Boiling Range
Flash Point
Evaporation rate
Flammability (solid, gas)

Values
13.2 – 13.6

No data available
100 °C / 212 °F
98 °C / 208.4 °F
No data available
No data available

Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data availableVapor PressureNo data availableVapor DensityNo data available

Relative Density
Specific Gravity
No data available
No data available

Water Solubility Soluble

Solubility in other solvents
Partition coefficient: n-octanol/waterNo data available
Autoignition Temperature
Decomposition Temperature
Viscosity
No data available
No data available
No data available

Flammable Properties Not flammable

**Explosive Properties**Oxidizing Properties
Not explosive
Not an oxidizer

Other information

**VOC Content (%)** 3-5%

# 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### Conditions to avoid

None known based on information supplied.

#### **Incompatible materials**

None known based on information supplied.

### **Hazardous decomposition products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Product Information** 

**Inhalation** May cause irritation of respiratory tract.

**Eye Contact** Eye contact with corrosive substances can cause eye burns. **Skin Contact** Skin contact with corrosive substances can cause skin burns.

**Ingestion** Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-Butoxyethanol	= 470 mg/kg (Rat)	= 400 mg/kg (Rabbit)	= 2.21 mg/L (Rat 4h, 950 ppm)
Sodium hydroxide	-	= 1350 mg/kg ( Rabbit )	-
Benzenesulfonic acid, C10-16-alkyl	= 1470 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	-
derivatives			

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

### Delayed and immediate effects and also chronic effects from short and long term exposure

SensitizationNo information available.Mutagenic EffectsNo information available.

\_\_\_\_\_

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)
Group 3: Not Classifiable as to its Carcinogenicity to Humans
Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

### Numerical measures of toxicity • - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral No information available.
LD50 Dermal No information available.

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
2-Butoxyethanol	-	LC50 96 h: = 1490 mg/L	-	-
		(Bluegill Sunfish)		
Sodium hydroxide		LC50 96 h: = 45.4 mg/L		
		static		
		(Oncorhynchus Mykiss)		
Benzenesulfonic acid,	EC50 96h: = 29 mg/L	LC50 96 h: = 1.67 mg/L	-	EC50 48 h: = 2.9 mg/L
C10-16-alkyl derivatives	(Pseudokircheneriella sub.)	(Bluegill Sunfish)		(Daphnia magna)

Persistence and Degradability

No information available.

Bioaccumulation

Potential.

Chemical Name	Log Pow
2-Butoxyethanol	0.81

### **Other Adverse Effects**

No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations

**Contaminated Packaging** Dispose of in accordance with federal, state, and local regulations.

Chemical Name	California Hazardous Waste	
Sodium hydroxide	Toxic	
·	Corrosive	

# 14. TRANSPORT INFORMATION

**DOT** Not Regulated

# 15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL Complies
EINECS Complies

\_\_\_\_\_

#### \_\_\_\_\_

Legend
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

# U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does contain a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	CAS#	Weight %	SAR A313 Threshold Values
2-Buthoxyethanol	111-79-2	1-5	1.0%

### SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

#### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb			X

# **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ
			RQ 454 kg final RQ

# **U.S. State Regulations**

# California Proposition 65

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
2-Butoxyethanol	X	X	Χ	X	Х
Sodium hydroxide	X	X	X		X

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 3	Flammability 1	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 3	Flammability 1	Physical Hazard 0	Personal Protection B
Prepared By	Sunburst Chemicals 220 West 86th Street			

Bloomington, MN 55420

952-884-3144

Issuing Date 07-Jan-2014

25-May-2016 Update **Revision Date Revision Note** 

General Disclaimer
The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**