

| Version 1.0 Revision Date 04/16/2015 Print Date 04/05/201 | | | | | | |
|---|-------------------------------|----------------|--|--|--|--|
| SECTION 1. PRODUCT AND COMPANY IDENTIFICATION | | | | | | |
| Material name | : BZ7573 ZC IND PURPLE CLNR Z | 2U0856128 4/1G | | | | |

| | • | | ., |
|------------------------------|------|---|----|
| Material number | : | 00000000001047494 | |
| Manufacturer or supplier's d | leta | ils | |
| Company | : | Zep Inc. | |
| Address | : | 1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318 | |
| Telephone | : | 404-352-1680 | |

| Emergency telephone numbers | | | | | |
|-----------------------------|---|--|--|--|--|
| For SDS Information | : | Compliance Services 1-877-428-9937 | | | |
| For a Medical Emergency | : | 877-541-2016 Toll Free - All Calls Recorded | | | |
| For a Transportation | : | CHEMTREC: 800-424-9300 - All Calls Recorded. | | | |
| Emergency | | In the District of Columbia 202-483-7616 | | | |

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

| Appearance | liquid |
|------------|----------------------|
| Colour | purple, clear |
| Odour | mild, characteristic |

GHS Classification

| Flammable liquids Skin corrosion Serious eye damage | : Category 4 : Category 1A : Category 1 |
|---|--|
| GHS Label element | |
| Hazard pictograms | |
| Signal word | : Danger |
| Hazard statements | : H227 Combustible liquid. H314 Causes severe skin burns and eye damage. |
| Precautionary statements | Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT |

_



BZ7573 ZC IND PURPLE CLNR ZU0856128 4/1G

| Version 1.0 | Revision Date 04/16/2015 | Print Date 04/05/2017 |
|--------------------------|---|-----------------------|
| | induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take o immediately all contaminated clothing. Rinse skin with water shower. P304 + P340 + P310 IF INHALED: Remove victim to fresh a and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. Storage: P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. Disposal: P501 Dispose of contents/container in accordance with local regulation. | |
| Potential Health Effects | | |
| Carcinogenicity: | | |
| IARC | No component of this product present at le equal to 0.1% is identified as probable, po human carcinogen by IARC. | |
| ACGIH | Confirmed animal carcinogen with unknow humans | |
| OSHA | 2-butoxyethanol No component of this product present at le equal to 0.1% is identified as a carcinogen carcinogen by OSHA. | |
| NTP | No component of this product present at le equal to 0.1% is identified as a known or a by NTP. | |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

| Chemical Name | CAS-No. | Concentration [%] |
|---|------------|-------------------|
| sodium hydroxide | 1310-73-2 | >= 1 - < 5 |
| 2-butoxyethanol | 111-76-2 | >= 1 - < 5 |
| Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts | 68439-57-6 | >= 1 - < 5 |
| Alcohols, C10-14, ethoxylated | 66455-15-0 | >= 1 - < 5 |

SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area.



| Version 1.0 | Revision Date 04/16/2015 | Print Date 04/05/2017 |
|-------------------------|--|----------------------------|
| | Show this safety data sheet to the Do not leave the victim unattended | |
| If inhaled | : If unconscious place in recovery po advice. Consult a physician after significan | |
| In case of skin contact | Wash off immediately with plenty of minutes. If on clothes, remove clothes. Get medical attention immediately | |
| In case of eye contact | Remove contact lenses. Protect unharmed eye. Rinse immediately with plenty of w Keep eye wide open while rinsing. If eye irritation persists, consult a s | |
| If swallowed | Keep respiratory tract clear. Never give anything by mouth to a If symptoms persist, call a physicia DO NOT induce vomiting unless di physician or poison control center. Take victim immediately to hospita | n. rected to do so by a |

SECTION 5. FIREFIGHTING MEASURES

| Suitable extinguishing media | : | Carbon dioxide (CO2) Water spray jet Alcohol-resistant foam Dry chemical |
|---|---|--|
| Unsuitable extinguishing media | : | High volume water jet |
| Specific hazards during firefighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | | Carbon dioxide (CO2) Carbon monoxide Smoke Sulphur oxides |
| Specific extinguishing methods | • | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Further information | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers. |
| Special protective equipment for firefighters | : | Wear self-contained breathing apparatus for firefighting if necessary. |



Version 1.0

Revision Date 04/16/2015

Print Date 04/05/2017

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment. Ensure adequate ventilation. Refer to protective measures listed in sections 7 and 8. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
|---|---|--|
| Environmental precautions | : | Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : | Neutralise with acid. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

| Advice on safe handling | : | Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Avoid exposure - obtain special instructions before use. Take precautionary measures against static discharges. Dispose of rinse water in accordance with local and national regulations. Do not breathe vapours or spray mist. |
|-----------------------------|---|--|
| Conditions for safe storage | : | No smoking. Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. |
| Materials to avoid | : | Store and keep away from, oxidizing agents and acids. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------------|-----------|-------------------------------------|---|-------|
| sodium hydroxide | 1310-73-2 | С | 2 mg/m3 | ACGIH |



| Version 1.0 | Revision | Date 04/16/20 | 015 | Print Date 04/05/2017 | | |
|-----------------|----------|---------------|---------------------|-----------------------|--|--|
| 1 | I | C | 2 mg/m3 | NIOSH REL | | |
| | | TWA | 2 mg/m3 | OSHA Z-1 | | |
| | | С | 2 mg/m3 | OSHA P0 | | |
| 2-butoxyethanol | 111-76-2 | TWA | 20 ppm | ACGIH | | |
| | | TWA | 5 ppm 24 mg/m3 | NIOSH REL | | |
| | | TWA | 50 ppm 240 mg/m3 | OSHA Z-1 | | |
| | | TWA | 25 ppm 120 mg/m3 | OSHA P0 | | |

Biological occupational exposure limits

| Component | CAS-No. | Control | Biological | Sampling | Permissible | Basis |
|---------------------|----------|--------------|------------|-----------|---------------|-----------|
| | | parameters | specimen | time | concentration | |
| 2-BUTOXYETHANOL | 111-76-2 | Butoxyacetic | Urine | End of | 200 mg/g | ACGIH BEI |
| | | acid (BAA) | | shift (As | | |
| | | | | soon as | | |
| | | | | possible | | |
| | | | | after | | |
| | | | | exposure | | |
| | | | | ceases) | | |
| Remarks: Creatinine | | | | • | | |

| Personal protective equipme | | |
|-----------------------------|--|------|
| Respiratory protection | Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrat that exposures are within recommended exposure guidelin | |
| Hand protection | | |
| Remarks | The suitability for a specific workplace should be discussed with the producers of the protective gloves. | ţ |
| Eye protection | Ensure that eyewash stations and safety showers are clos the workstation location. Safety glasses | e to |
| Skin and body protection | impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work plac | e. |
| Hygiene measures | When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. | |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : liquid |
|-----------------|------------------------|
| Colour | : purple, clear |
| Odour | : mild, characteristic |
| Odour Threshold | : no data available |
| | |

SAFETY DATA SHEET



BZ7573 ZC IND PURPLE CLNR ZU0856128 4/1G

| Version 1.0 | Revision Date 04/16/2015 | Print Date 04/05/2017 |
|--|--|-----------------------|
| рН | : 13 - 14 | |
| Melting point/freezing point | : no data available | |
| Boiling point | : 98.9 °C | |
| Flash point | : > 88 °C Method: closed cup | |
| Evaporation rate | : 1 | |
| Upper explosion limit | : not applicable | |
| Lower explosion limit | : not applicable | |
| Vapour pressure | : not determined | |
| Relative vapour density | : no data available | |
| Density | : 1.055 g/cm3 | |
| Solubility(ies) | | |
| Water solubility | : soluble in cold water, soluble in ho | ot water |
| Partition coefficient: n- octanol/water | : no data available | |
| Auto-ignition temperature | : not determined | |
| Thermal decomposition | : no data available | |
| Viscosity | | |
| Viscosity, kinematic | : no data available | |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : | Stable No decomposition if stored and applied as directed. |
|------------------------------------|---|--|
| Chemical stability | : | Stable under normal conditions. No decomposition if stored and applied as directed. |
| Possibility of hazardous reactions | : | No decomposition if stored and applied as directed. |
| | | Vapours may form explosive mixture with air. |
| Conditions to avoid | : | Heat, flames and sparks. Extremes of temperature and direct sunlight. |
| | | Heat, flames and sparks. |
| Incompatible materials | : | Oxidizing agents Metals Acids |
| Hazardous decomposition products | : | Carbon oxides |



Version 1.0

Revision Date 04/16/2015

Print Date 04/05/2017

SECTION 11. TOXICOLOGICAL INFORMATION

| Acute toxicity | | |
|--|---|--|
| Product: | | |
| Acute oral toxicity | : | Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method |
| Acute inhalation toxicity | : | Acute toxicity estimate : > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method |
| Acute dermal toxicity | : | Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method |
| Components: | | |
| sodium hydroxide: Acute dermal toxicity | : | Acute toxicity estimate rabbit: 1,350 mg/kg |
| Skin corrosion/irritation | | |
| Product: | | |

Serious eye damage/eye irritation

Product:

Remarks: May cause irreversible eye damage.

Remarks: Extremely corrosive and destructive to tissue.

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

sodium hydroxide: 2-butoxyethanol: Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts: Alcohols, C10-14, ethoxylated:

STOT - single exposure

no data available

STOT - repeated exposure



| | - CLINIX 200030120 4/10 | |
|--|--|-----------------------|
| Version 1.0 | Revision Date 04/16/2015 | Print Date 04/05/2017 |
| no data available | | |
| Aspiration toxicity | | |
| no data available | | |
| Further information | | |
| Product: | | |
| Remarks: no data available | | |
| | | |
| | | |
| SECTION 12. ECOLOGICAL INFO | RMATION | |
| Ecotoxicity | | |
| | | |
| no data available | | |
| Persistence and degradability | | |
| no data available Bioaccumulative potential | | |
| Product: | | |
| Partition coefficient: n- octanol/water | : Remarks: no data available | |
| Mobility in soil | | |
| no data available | | |
| Other adverse effects | | |
| no data available Product: | | |
| Regulation | 40 CFR Protection of Environmen Stratospheric Ozone - CAA Section Substances | , |
| Remarks | This product neither contains, nor with a Class I or Class II ODS as Clean Air Act Section 602 (40 CF + B). | defined by the U.S. |
| Additional ecological information | : no data available | |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal method | | |
|-------------------|--|-----|
| Waste from residu | Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches wi chemical or used container. | ith |



| Version 1.0 | Revision Date 04/16/2015 | Print Date 04/05/2017 |
|------------------------|--|-----------------------|
| Contaminated packaging | : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, | the empty drum. |

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IMDG (Vessel): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Cargo Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Passenger Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: TDG (Canada): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ | Calculated product RQ |
|------------------|-----------|--------------|-----------------------|
| | | (lbs) | (lbs) |
| sodium hydroxide | 1310-73-2 | 1000 | * |

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity


This material does not contain any components with a section 304 EHS RQ.

| SARA 311/312 Hazards | : | Acute Health Hazard Fire Hazard |
|----------------------|---|---|
| SARA 302 | : | SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. |
| SARA 313 | : | SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. |
| California Prop 65 | | This product does not contain any chemicals known to State of |



| ersion 1.0 | Revision Date 04/16/2015 | Print Date 04/05/2017 |
|----------------|---|---------------------------|
| | California to cause cancer, birth deference reproductive harm. | ects, or any other |
| The componen | ts of this product are reported in the following inv | ventories: |
| TSCA | On TSCA Inventory | |
| DSL | This product contains one or several compor Canadian DSL nor NDSL. | nents that are not on the |
| AICS | Not in compliance with the inventory | |
| NZIoC | Not in compliance with the inventory | |
| PICCS | Not in compliance with the inventory | |
| IECSC | Not in compliance with the inventory | |
| Inventory Acro | nym and Validity Area Legend: | |
| , | , DSL (Canada), IECSC (China), REACH (European Korea), NZloC (New Zealand), PICCS (Philippines), T | |

SECTION 16. OTHER INFORMATION



OSHA GHS Label Information:

| Hazard pictograms | |
|---|--|
| Signal w ord Hazard statements Precautionary statements | Danger: Combustible liquid. Causes severe skin burns and eye damage. Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/eye protection/ face protection. Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with w ater/ show er. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foamfor extinction. |

SAFETY DATA SHEET



BZ7573 ZC IND PURPLE CLNR ZU0856128 4/1G

Version 1.0

Revision Date 04/16/2015

Print Date 04/05/2017

Storage: Store in a well-ventilated place. Keep cool. Store locked up. **Disposal:** Dispose of contents/container in accordance with local regulation.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.