

# Safety Data Sheet

ssue Date: 27-Dec-2011	Revision Date:	03-Dec-2018		Version
	1. IDENT	FICATION		
Product identifier				
Product Name	Buckeye Eco Neutral Dis	infectant		
Other means of identification				
SDS #	BE-6023			
Product Code	6023			
Registration Number(s)	EPA Reg. No. 47371-129	9-559		
JN/ID No	UN1760			
Recommended use of the chemica	Il and restrictions on use			
Recommended Use	EPA Registered Germicie	dal Cleaner.		
Details of the supplier of the safet	v data sheet			
Supplier Address				
Buckeye International, Inc.				
2700 Wagner Place Maryland Heights, MO 63043 USA				
naryiunu noigino, mo oooto oog				
Emergency telephone number				
Company Phone Number	1-314-291-1900			
Emergency Telephone (24 hr)		AC 1-352-323-3500 (Inter	mational)	
	1-800-535-5053 (North A	merica)		
	Medical – (International)	1-615-632-8956 (North Ai	merica) 1-800-303-044	1
	2. HAZARDS I	DENTIFICATION		
Emergency Overview This chen	nical is a product registered	by the Environmental Pro	tection Agency and is	subject to cortain
labeling requirements under federal	law. These requirements di	ffer from the classification	criteria and hazard inf	formation required
for safety data sheets, and for wo	orkplace labels of non-EPA	egistered chemicals. Pleanation.	ase see Section 15 for	additional EPA
Appearance Clear green liquid	Physical a	tate Liquid	<u></u>	
	Fliysicals		Odor	Lemon fragranc
Classification_				
Acute toxicity - Oral			Category 4	
Skin corrosion/irritation			Category 1 Sub-ca	tegory B
Serious eye damage/eye irritation			Category 1	
Signal Word				
Danger				
-				
lazard statements				
larmful if swallowed				
	amage			



# Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dusts or mists

## Precautionary Statements - Response

Immediately call a POISON CENTER or doctor IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing Immediately call a POISON CENTER or doctor IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth

Do NOT induce vomiting

## Precautionary Statements - Storage

Store locked up

# Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Other hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS
---

Chemical name	CAS No	Weight-%
Didecyldimethylammonium chloride	7173-51-5	10-20
Alky! dimethy! benzyl ammonium chloride (C12-16)	68424-85-1	<10
Ethyl Alcohol	64-17-5	<10
Sodium hydroxide	1310-73-2	<5
Alkyloxypolyethyleneoxyethanol	84133-50-6	<5
EDTA	60-00-4	<5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret \*\*

### 4. FIRST AID MEASURES

#### **Description of first aid measures**

General Advice	Call a poison center or doctor immediately for treatment advice.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.

Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration.
	ramete te neen an in het broading, give althour respiration.
Ingestion	Have person sip a glass of water if able to swallow. Do not induce vomiting without medica advice. Never give anything by mouth to an unconscious person.
<u>Nost important symptoms ar</u>	nd effects, both acute and delayed
Symptoms	Contact may cause irritation and redness. Direct eye contact may cause stinging, tearing and redness. May cause redness, pain, and severe skin burns. May cause irritation to the mucous membranes and upper respiratory tract. Ingestion may cause nausea and headache.
ndication of any immediate r	medical attention and special treatment needed
Notes to Physician	Treat symptomatically. If the product is ingested, probable mucosal damage may
•	contraindicate the use of astric layon. Monource applied distance had

contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.

# 5. FIRE-FIGHTING MEASURES

## Suitable Extinguishing Media

Water spray (fog). Dry powder. Foam.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Toxic fumes may be given off when material is exposed to fire.

Hazardous combustion products Carbon oxides. Nitrogen oxides (NOx). Hydrogen chloride.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental precautions

Environmental precautions Collect spillage. See Section 12 for additional Ecological Information.

# Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling	Keep out of the reach of children. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the environment.
Conditions for safe storage, incluc	ing any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room temperature. Keep container closed when not in use. Do not contaminate water, food, or feed by storage or disposal.
Packaging Materials	Rinse container before discarding.
Incompatible Materials	Chlorine bleach. Anionic detergents. Strong oxidizing agents. Strong reducing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

#### Appropriate engineering controls

Engineering Controls	Apply technical measures to comply with the occupational exposure limits.	
Individual protection measures, suc	ch as personal protective equipment	
Eye/Face Protection	Splash goggles or safety glasses.	
Skin and Body Protection	Rubber gloves. Normal work clothing (long sleeved shirts and long pants) is recommended.	
Respiratory Protection	Refer to 29 CFR 1910.134 for respiratory protection requirements.	

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance Color	Liquid Clear green liquid Green	Odor Odor Threshold	Lemon fragrance Not determined
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation Rate	<u>Values</u> 7.6 ± 0.2 (conc) 7.0 ± 0.2 (1:256 dilution) Not determined 100 °C / 212 °F 93.3 °C / ~ 200 °F 1.0	Remarks • Method Tag Closed Cup (n-BuAc =1)	

#### BE-6023 - Buckeye Eco Neutral Disinfectant

Property	Values	Remarks • Method
Flammability (Solid, Gas)	n/a-liquid	Kentarko Metriod
Flammability Limit in Air		
Upper flammability or explosive limits	Not applicable	
Lower flammability or explosive limits	Not applicable	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Relative Density	1.00	
Water Solubility	Mostly Soluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	Not determined	
Decomposition temperature	Not determined	
Kinematic viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

# 10. STABILITY AND REACTIVITY

#### <u>Reactivity</u>

Not reactive under normal conditions.

#### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

None under normal processing.

#### Hazardous Polymerization

Hazardous polymerization does not occur.

# Conditions to Avoid

Keep out of reach of children.

# Incompatible materials

\_

Chlorine bleach. Anionic detergents. Strong oxidizing agents. Strong reducing agents.

## Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases or vapors.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Product Information	
Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Harmful if swallowed.

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Didecyldimethylammonium chloride 7173-51-5	= 84 mg/kg (Rat)	-	-
Alkyl dimethyl benzyl ammonium chloride (C12-16) 68424-85-1	= 426 mg/kg (Rat)	-	-
Ethyl Alcohol 64-17-5	= 7060 mg/kg (Rat)	*	= 124.7 mg/L (Rat) 4 h
Sodium hydroxide 1310-73-2	140 - 340 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-
Alkyloxypolyethyleneoxyethanoi 84133-50-6	= 2100 mg/kg (Rat)	-	-
EDTA 60-00-4	> 2000 mg/kg (Rat)	-	-

# Symptoms related to the physical, chemical and toxicological characteristics

#### Symptoms

Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Carcinogenicity

Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol 64-17-5	A3	Group 1	Known	X
Legend				

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

## Numerical measures of toxicity

 The following values are calculated based on chapter 3.1 of the GHS document

 Oral LD50
 1,754.50 mg/kg

 Dermal LD50
 39,646.80 mg/kg

 ATEmix (inhalation-dust/mist)
 1,893.40 mg/L

12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Toxic to aquatic life with long lasting effects.

#### **Component Information**

Chemical name	Algae/aquatic plants	Fish	Crustacea
Ethyl Alcohol 64-17-5		100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static	10800: 24 h Daphnia magna mg/l EC50 2: 48 h Daphnia magna mg/
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	
Alkyloxypolyethyleneoxyethanol 84133-50-6		3.2: 96 h Pimephales promelas mg/L LC50	3.2: 48 h water flea mg/L EC50

#### BE-6023 - Buckeye Eco Neutral Disinfectant

EDTA 1.01: 72 h Desmodesmus 60-00-4 subspicatus mg/L EC50	34 - 62: 96 h Lepomis macrochirus mg/L LC50 static 44.2 - 76.5: 96 h Pimephales promelas mg/L LC50 static	113: 48 h Daphnia magna mg/L EC50 Static
--	--	---

## Persistence/Degradability

Not determined.

#### **Bioaccumulation**

There is no data for this product.

## Mobility

Chemical name	Partition coefficient
Ethyl Alcohol	-0.32
64-17-5	

## Other Adverse Effects

Not determined

ste Treatment Methods	
Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

Ethyl Alcohol     Toxic       64-17-5     Ignitable       Sodium hydroxide     Toxic	Chemical name	California Hazardous Waste Status
Sodium hydroxide Toxic		Toxic
1310 73 2		No. of the second
	1310-73-2	Toxic Corrosive

# 14. TRANSPORT INFORMATION

Please see current shipping paper for most up to date shipping information, including

#### Note

Packing Group

	exemptions and special circumstances.
<u>DOT</u> UN/ID No Proper Shipping Name Hazard class Packing Group	UN1760 Corrosive liquids, n.o.s. (Alkyldimethylbenzyl ammonium chloride) 8 II
IATA UN number Proper Shipping Name Transport hazard class(es)	UN1760 Corrosive liquids, n.o.s. (Alkyldimethylbenzyl ammonium chloride) 8

II

#### IMDG

UN number	
Proper Shipping Name	
Transport hazard class(es)	
Packing Group	

UN1760 Corrosive liquids, n.o.s. (Alkyldimethylbenzyl ammonium chloride) 8

#### 11

# 15. REGULATORY INFORMATION

#### International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Didecyldimethylammonium chloride	Х	X	X	Х	X	X	Х	X
Alkyl dimethyl benzyl ammonium chloride (C12-16)	Х	X	X	Х	X	Х	×	Х
Ethyl Alcohol	X	X	X	X	X	Х	Х	X
Sodium hydroxide	Х	Х	Х	Х	X	Х	Х	Х
Alkyloxypolyethyleneoxyetha nol	Х	X			Х	Х	×	Х
EDTA	Х	Х	X	Х	X	X	Х	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

### **CERCLA**

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ
EDTA 60-00-4	5000 lb		RQ 5000 lb final RQ
60-00-4			RQ 2270 kg final RQ

# SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## CWA (Clean Water Act)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb			X
EDTA	5000 lb			x
US State Regulations				

#### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65	
Ethyl Alcohol - 64-17-5	Carcinogen	
	Developmental	

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl Alcohol 64-17-5	X	X	X
Sodium hydroxide 1310-73-2	X	X	X
EDTA 60-00-4	X	X	X

# EPA Pesticide Registration Number EPA Reg. No. 47371-129-559

## EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

## EPA Pesticide Label

Signal Word: Danger

Corrosive. Causes irreversible eye damage and skin burns. Harmful if inhaled, swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective gloves (rubber or chemical resistant). Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

# Difference between SDS and EPA pesticide label

nanandar yana yanandar yana yanandar	EPA	OSHA
Signal Word	Danger	Danger
Acute Toxicity - Oral	Harmful if swallowed	Harmful if swallowed
Acute Toxicity – Dermal	Harmful if absorbed through the skin	N/A
Acute Toxicity – Inhalation	Harmful if inhaled	N/A
Skin corrosion/irritation	Causes skin burns	Causes severe skin burns
Serious eye damage/eye irritation	Causes irreversible eye damage	Causes serious eye damage

		16. OTHERINFORM	ATION	
NFPA	Health Hazards	Flammability	Instability	Special Hazards
HMIS	Health Hazards	r Flammability Not determined	0 Physical hazards Not determined	Not determined Personal Protection Not determined
Issue Date: Revision Date: Revision Note:	27-Dec-2011 03-Dec-2018 New formula			

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet