

# SAFETY DATA SHEET

Issuing Date 24-Sep-2013	Revision Date	24-Sep-2013	<b>Revision Number</b>	0
1. IDENTIFICATION OF TH	E SUBSTANCE/PRE	EPARATION AND THE	COMPANY/UNDER	TAKING
GHS product identifier				
Product Name	SSS Graffiti Remover	Wipes		
Other means of identification				
Product Code(s)	57003			
Synonyms	None			
Recommended use of the chemical	and restrictions on use	2		
Recommended Use	Graffiti Remover			
Uses advised against	None reasonably forese	eeable		
Distributor's details				
<b>Distributor Address</b> Triple S 2 Executive Park Drive Billerica, MA 01862 TEL: 1-978-667-7900				
Emergency telephone number				
Emergency Telephone Number	1-888-779-1339			
2. HAZARDS IDENTIFICATION				
Classification	down apporting to the OS	244 Hozord Communication S	Standard 2012 (20 CER /	1010 1200)

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Serious Eye Damage/Eye Irritation	Category 2
Specific Target Organ Systemic Toxicity (Single Exposure)	Category 3
Flammable liquids	Category 2

# GHS Label elements, including precautionary statements

# **Emergency Overview**

Signal Word	Danger
Hazard Statements	
<ul> <li>Causes serious eye irritation</li> </ul>	
<ul> <li>May cause drowsiness or dizzines</li> </ul>	S
<ul> <li>Highly flammable liquid and vapor.</li> </ul>	



# **Precautionary Statements**

# Prevention

- Wash face, hands and any exposed skin thoroughly after handling
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- Keep away from heat/sparks/open flames/hot surfaces No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ventilating/lighting/equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Wear protective gloves/protective clothing/eye protection/face protection
- Keep cool.

# **General Advice**

None

# Eyes

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

• If eye irritation persists: Get medical advice/attention.

### Skin

• IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

### Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell.

### Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction.

# Storage

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up.

### Disposal

• Dispose of contents/container to an approved waste disposal plant.

# Hazard Not Otherwise Classified (HNOC)

Not applicable

# Other information

Harmful to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 57003 - SSS Graffiti Remover Wipes

Chemical Name	CAS-No	Weight %	Trade secret
Dimethyl adipate	627-93-0	10-30	*
Dimethyl glutarate	1119-40-0	10-30	*
Tripropylene glycol monomethyl ether	25498-49-1	10-30	*
Propylene glycol monomethyl ether	107-98-2	7-13	*
Acetone	67-64-1	5-10	*
2-Butoxyethanol	111-76-2	5-10	*
n-Amyl acetate	628-63-7	1-5	*
Dimethyl succinate	106-65-0	1-5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

# Description of necessary first-aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If irritation persists, call a physician.
Skin Contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. In the case of skin irritation or allergic reactions see a physician.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.
Ingestion	Not an expected route of exposure. If swallowed: Call a physician or Poison Control Center immediately. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

# Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician

Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

# Suitable Extinguishing Media

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Water fog. Foam. Fire may float as if an oil fire.

# Unsuitable Extinguishing Media None

### Specific Hazards Arising from the Chemical

No information available.

Hazardous Combustion Products Soot. Smoke, Fume, Incomplete combustion products, Oxides of carbon

Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None. None.

### Protective Equipment and Precautions for Firefighters

Use water spray to cool surrounding containers. Wear self contained breathing apparatus for fire fighting if necessary.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal Precautions

Use personal protective equipment. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

# Environmental Precautions

Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas. Avoid release to the
	environment. See Section 12 for additional Ecological Information Dispose of
	contents/container to an approved waste disposal plant.

# Methods and materials for containment and cleaning up

Methods for ContainmentPrevent further leakage or spillage if safe to do so.Methods for Cleaning UpSmall spillage: Wipe up with absorbent material (e.g. cloth, fleece) Large spillage: Use a<br/>non-combustible material like vermiculite, sand or earth to soak up the product and place<br/>into a container for later disposal.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

HandlingAvoid contact with skin, eyes and clothing. Do not smoke. Use only with adequate<br/>ventilation. Handle in accordance with good industrial hygiene and safety practice. Take<br/>precautionary measures against static discharges. To avoid ignition of vapors by static<br/>electricity discharge, all metal parts of the equipment must be grounded. Keep away from<br/>open flames, hot surfaces and sources of ignition. Use only in an area containing flame<br/>proof equipment.

# Conditions for safe storage, including any incompatibilities

Storage	Store in cool/well-ventilated place. Keep out of the reach of children. Keep container closed when not in use. Keep away from heat and sources of ignition. Do not contaminate food or feed stuffs.
Incompatible Products	Strong alkalis. Acids. Oxidizing agents. Alkali metal hydroxides.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# **Control parameters**

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propylene glycol monomethyl ether 107-98-2	STEL: 150 ppm TWA: 100 ppm	(vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup> STEL: 150 ppm STEL: 540 mg/m <sup>3</sup>
Acetone 67-64-1	STEL: 750 ppm TWA: 500 ppm	TWA: 1000 ppm TWA: 2400 mg/m <sup>3</sup> (vacated) TWA: 750 ppm (vacated) TWA: 1800 mg/m <sup>3</sup> (vacated) STEL: 2400 mg/m <sup>3</sup> The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors (vacated) STEL: 1000 ppm	IDLH: 2500 ppm 10% LEL TWA: 250 ppm TWA: 590 mg/m <sup>3</sup>
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>

n-Amyl acetate 628-63-7	STEL: 100 ppm TWA: 50 ppm	TWA: 100 ppm TWA: 525 mg/m <sup>3</sup>	IDLH: 1000 ppm TWA: 100 ppm		
		(vacated) TWA: 100 ppm (vacated) TWA: 525 mg/m <sup>3</sup>	TWA: 525 mg/m <sup>3</sup>		
Appropriate engineering controls					
Engineering Measures       Showers         Eyewash stations       Ventilation systems					
Individual protection measures, such as personal protective equipment					
Eye/Face ProtectionRisk of contact, wear: Safety glasses with side-shields.Skin and Body ProtectionRisk of contact: Impervious gloves.Respiratory ProtectionNone required under normal usage. If exposure limits are exceeded or irritation is experienced. NIOSH/MSHA approved respiratory protection should be worn.					
Hygiene Measures         Handle in accordance with good industrial hygiene and safety practice.					
9. PHYSICAL AND CHEMICAL PROPERTIES					

# Information on basic physical and chemical properties

Physical State	Liquid	Appearance	Colorless
Odor	Plumeria	Odor Threshold	No information available
Property	<u>Values</u>	<u>Remarks/ - I</u>	<u>Method</u>
pH	6.3	None known	
Melting Point/Range	No data available	None known	
Boiling Point/Boiling Range	100 °C / 212 °F	None known	
Flash Point	16.67 °C / 62 °F		
Evaporation rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limits in Air			
upper flammability limit	No data available		
lower flammability limit	No data available		
Vapor Pressure	No data available	None known	
Vapor Density	> 1	None known	
Relative Density	No data available	None known	
Specific Gravity	0.986	None known	
Water Solubility	Miscible with water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octand	ol/waterNo data available	None known	
Autoignition Temperature	No data available	None known	
<b>Decomposition Temperature</b>	No data available	None known	
Viscosity	No data available	None known	
Flammable Properties	Highly flammable liquid	d and vapor.	
Explosive Properties	No data available		
Oxidizing Properties	No data available		
Other information			
VOC Content (%)	30		

# **10. STABILITY AND REACTIVITY**

# **Reactivity**

No data available.

# **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

### Conditions to avoid

Incompatible products. Heat.

### Incompatible materials

Strong alkalis. Acids. Oxidizing agents. Alkali metal hydroxides.

# Hazardous decomposition products

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke) Soot.

# **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Product Information	
Inhalation	May be harmful if inhaled.
Eye Contact	Causes serious eye irritation. May cause eye irritation including redness, tearing, itching, and swollen eyes.
Skin Contact	May cause irritation.
Ingestion	Not an expected route of exposure. Harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetone	= 5800 mg/kg (Rat)	1700mg/kg (rabbit)	18892 mg/m <sup>3</sup>
2-Butoxyethanol	= 470 mg/kg (Rat)	= 400 mg/kg (Rabbit) = 2270 mg/kg (Rat)	= 2.21 mg/L (Rat)4 h = 450 ppm (Rat)4 h
n-Amyl acetate	> 1600 mg/kg (Rat)	-	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

# Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization	No information available.
Mutagenic Effects	No information available.
Carcinogenicity	Contains no ingredients above reportable quantities listed as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		

# ACGIH:(American Conference of Governmental Industrial Hygienists)A3 - Animal CarcinogenIARC:IARC:International Agency for Research on Cancer)Group 3:Not Classifiable as to its Carcinogenicity to HumansReproductive ToxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.Aspiration HazardNo information available.

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral	2190 mg/kg; Acute toxicity estimate
LD50 Dermal	5149 mg/kg; Acute toxicity estimate
Inhalation	
gas	1581
dust/mist	5.9 mg/L; Acute toxicity estimate
Vapor	27 mg/L; Acute toxicity estimate

# **12. ECOLOGICAL INFORMATION**

# Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Dimethyl glutarate		LC50 96 h: 19.6-26.2 mg/L		EC50 48 h: 122.1 - 163.5
1119-40-0		static (Pimephales promelas)		mg/L (Daphnia magna)
Tripropylene glycol		LC50 96 h: = 11619 mg/L		EC50 48 h: > 10 mg/L
monomethyl ether 25498-49-1		static (Pimephales promelas)		(Daphnia magna)
Propylene glycol		LC50 96 h: 4600-10000		EC50 48 h: = 23300 mg/L
monomethyl ether		mg/L static (Leuciscus idus)		(Daphnia magna)
107-98-2		LC50 96 h: = 20.8 g/L static		
		(Pimephales promelas)		
Acetone		LC50 96 h: 4.74 - 6.33	EC50 = 14500 mg/L 15 min	EC50 48 h: 10294 - 1770
67-64-1		mL/L (Oncorhynchus		mg/L Static (Daphnia
		mykiss) LC50 96 h: 6210 -		magna) EC50 48 h: 1260
		8120 mg/L static		12700 mg/L (Daphnia
		(Pimephales promelas) LC50		magna)
		96 h: = 8300 mg/L		
		(Lepomis macrochirus)		
2-Butoxyethanol		LC50 96 h: = 1490 mg/L		EC50 24 h: 1698 - 1940
111-76-2		static (Lepomis macrochirus)		mg/L (Daphnia magna)
		LC50 96 h: = 2950 mg/L		EC50 48 h: > 1000 mg/L
		(Lepomis macrochirus)		(Daphnia magna)
n-Amyl acetate		LC50 96 h: = 650 mg/L static		
628-63-7		(Lepomis macrochirus)		
Dimethyl succinate		LC50 96 h: 50-100 mg/L		
106-65-0		static (Brachydanio rerio)		

Persistence and Degradability

No information available.

# **Bioaccumulation**

No information available.

Chemical Name	Log Pow
Propylene glycol monomethyl ether	-0.437
Acetone	-0.24
2-Butoxyethanol	0.81
Dimethyl succinate	0.19

# Other Adverse Effects

No information available.

# **13. DISPOSAL CONSIDERATIONS**

# Waste Disposal Methods

Dispose of in accordance with federal, state, and local regulations

# **Contaminated Packaging**

Do not re-use empty containers.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetone - 67-64-1		Included in waste stream:		U002
		F039		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Acetone	Ignitable
n-Amyl acetate	Toxic
	Ignitable

# **14. TRANSPORT INFORMATION**

# DOT

Proper shipping name Hazard Class Description Consumer commodity ORM-D Consumer commodity, ORM-D

# **15. REGULATORY INFORMATION**

# International Inventories TSCA

Complies

# Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Tripropylene glycol monomethyl ether	25498-49-1	10-30	1.0
2-Butoxyethanol	111-76-2	5-10	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	Yes		
Chronic Health Hazard	No		
Fire Hazard	Yes		
Sudden Release of Pressure Hazard	No		
Reactive Hazard	No		

### Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
n-Amyl acetate	5000 lb			Х

# CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Acetone	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
n-Amyl acetate	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

# U.S. State Regulations

### California Proposition 65

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

24-Sep-2013

Initial Release.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Tripropylene glycol monomethyl ether			Х	X	
Propylene glycol monomethyl ether	X	X	Х		X
Acetone	Х	Х	Х		Х
2-Butoxyethanol	Х	Х	Х	Х	Х
n-Amyl acetate	Х	Х	Х		Х

# U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA	Health Hazard 2	Flammability	3	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 2	Flammability	3	Physical Hazard 0	Personal Protection X
Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501				
Issuing Date	24-Sep-2	013			

# General Disclaimer

**Revision Date** 

**Revision Note** 

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

### End of Safety Data Sheet