

SAFETY DATA SHEET

Creation Date 08-Jul-2009

Revision Date 25-May-2017

Revision Number 3

1. Identification Product Name Potassium dichromate Cat No. : AC197760000; AC197760010; AC197760050; AC197765000

Synonyms

Potassium bichromate.; Dipotassium dichromate; Dichromic acid, dipotassium salt

Recommended Use Uses advised against Laboratory chemicals. Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids	Category 2
Acute oral toxicity	Category 3
Acute dermal toxicity	Category 1
Acute Inhalation Toxicity - Dusts and Mists	Category 2
Skin Corrosion/irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1
Respiratory Sensitization	Category 1
Skin Sensitization	Category 1
Germ Cell Mutagenicity	Category 1B
Carcinogenicity	Category 1A
Reproductive Toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system.	
Specific target organ toxicity - (repeated exposure)	Category 1
Target Organs - Respiratory system, Liver, Kidney, Blood.	

Label Elements

Signal Word Danger

Hazard Statements

May intensify fire; oxidizer

Toxic if swallowed Fatal in contact with skin Causes severe skin burns and eye damage May cause respiratory irritation May cause an allergic skin reaction Fatal if inhaled May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause genetic defects May cause cancer May damage fertility. May damage the unborn child May damage fertility. Suspected of damaging the unborn child Causes damage to organs through prolonged or repeated exposure



Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not get in eyes, on skin, or on clothing

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear respiratory protection

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep/Store away from clothing/ other combustible materials

Take any precaution to avoid mixing with combustibles

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

If skin irritation or rash occurs: Get medical advice/attention

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion

Rinse mouth

Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

WARNING! This product contains a chemical known in the State of California to cause cancer, birth defects or other reproductive harm.

3. Composition / information on ingredients					
Component		CAS-No		Weight %	
Potassium dichromate		7778-50-9		>95	
4. First-aid measures					
General Advice	Show this sat required.	ety data sheet to the doctor	in attendanc	e. Immediate medical attention is	
Eye Contact		iately with plenty of water, al edical attention is required.	lso under the	e eyelids, for at least 15 minutes.	
Skin Contact	Wash off imn attention is re		r for at least	15 minutes. Immediate medical	
Inhalation	Move to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.				
Ingestion	Do not induce	e vomiting. Call a physician o	or Poison Co	ntrol Center immediately.	
Most important symptoms/effects Notes to Physician	Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation Treat symptomatically				
	5 Ei	re-fighting measu	ires		
Suitable Extinguishing Media		ray, alcohol-resistant foam, o		or carbon dioxide.	
Unsuitable Extinguishing Media	No informatio	n available			
Flash Point Method -	No informatic No informatic				
Autoignition Temperature Explosion Limits Upper Lower Oxidizing Properties	No data available No data available Oxidizer				

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous Combustion Products

Chromium oxide

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA Health 	Flammability 0	Instability 1	Physical hazards OX
	6. Accidental re	lease measures	
Personal Precautions	ventilation. Keep people av	uipment. Evacuate personnel to vay from and upwind of spill/lea	k. Avoid dust formation.
Environmental Precautions	contaminate ground water		Do not allow material to entering drains. Local authorities ned. Should not be released into
Methods for Containment and Clea Up	formation. Soak up with ine	billage and collect in suitable co ert absorbent material. Keep in s lovel into suitable containers for	suitable, closed containers for
	7. Handling	and storage	
Handling	under a chemical fume hoo	equipment. Do not get in eyes, o od. Do not ingest. Do not breath a clothing and other combustible	
Storage	Keep containers tightly close combustible materials. Cor	sed in a dry, cool and well-venti rosives area.	lated place. Do not store near

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Potassium dichromate	TWA: 0.05 mg/m ³	(Vacated) Ceiling: 0.1 mg/m ³	IDLH: 15 mg/m ³	TWA: 0.05 mg/m ³ TWA: 0.5
	-	Ceiling: 0.1 mg/m ³	TWA: 0.0002 mg/m ³	mg/m ³

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Use only under a chemical fume hood. Ensure that evewash stations and safety showers **Engineering Measures** are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Personal Protective Equipment **Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Skin and body protection Long sleeved clothing. **Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

9. Physical and chemical properties

Physical State Appearance Odor **Odor Threshold** pН . Melting Point/Range Boiling Point/Range Flash Point **Evaporation Rate** Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density **Specific Gravity** Solubility Partition coefficient; n-octanol/water **Autoignition Temperature Decomposition Temperature** Viscosity Molecular Formula **Molecular Weight**

Solid Orange Odorless No information available 4 (5 %) 398 °C / 748.4 °F 500 °C / 932 °F No information available Not applicable No information available

No data available No data available No information available Not applicable 2.676 soluble No data available

> 500°C Not applicable Cr2 K2 O7 294.19

10. Stability and reactivity

Reactive Hazard	Yes
Stability	Oxidizer: Contact with combustible/organic material may cause fire.
Conditions to Avoid	Incompatible products. Excess heat. Combustible material. Avoid dust formation.
Incompatible Materials	Strong oxidizing agents, Reducing agents, Acids, Strong bases, Acid anhydrides, Strong reducing agents, Combustible material
Hazardous Decomposition Product	s Chromium oxide
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information			
Component Information			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium dichromate	130 mg/kg(Rat)	1150 mg/kg (Rabbit)	0.09 mg/L/4h (Rat)
Toxicologically Synergistic	No information available		
Products			
Delayed and immediate effects	as well as chronic effects from	n short and long-term exposure	9
Irritation	Causes burns by all expos	sure routes	
Sensitization	No information available		
Carcinogenicity	The table below indicates	whether each agency has listed a	any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Potassium dichromate	7778-50-9	Group 1	Known	A1	Х	A1	
NTP: (National To ACGIH: (America Hygienists)	xicity Program) n Conference of G	Research on Cancer) IARC: (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans					
Mutagenic Effects		May cause heritab	A4 - Not Cla A5 - Not Su	ned Animal Carcinog assifiable as a Huma spected as a Humar s	n Carcinogen		
Reproductive Effect	S	May impair fertility					
Developmental Effe	cts	Component substa	ance is listed on Ca	alifornia Propositio	n 65 as a developn	nental hazard.	
Teratogenicity		May cause harm to	o the unborn child.				
STOT - single expos STOT - repeated exp		Respiratory syster Respiratory syster	n n Liver Kidney Blo	bd			
Aspiration hazard		No information ava	ailable				
Symptoms / effects delayed	both acute and	Ind Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Symptoms of aller reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation					
Endocrine Disrupto	r Information	No information ava	ailable				
Other Adverse Effec	cts	The toxicological p	properties have not	been fully investig	gated.		

12. Ecological information

Ecotoxicity The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Potassium dichromate	Not listed	LC50: = 26 mg/L, 96h static	Not listed	EC50: 1.4 mg/L 24h
		(Morone saxatilis)		_
		LC50: 23 - 41.2 mg/L, 96h		
		static (Poecilia reticulata)		
		LC50: 24.81 - 34.55 mg/L,		
		96h semi-static (Poecilia		
		reticulata)		
		LC50: 14 - 20.9 mg/L, 96h		
		static (Pimephales		
		promelas)		
		LC50: 15.41 - 30.36 mg/L,		
		96h flow-through		
		(Pimephales promelas)		

· · · · · · · · · · · · · · · · · · ·						
	LC50: 21.209 - 30.046 mg/L, 96h semi-static					
	(Oryzias latipes)					
	LC50: = 12.3 mg/L, 96h					
	semi-static (Oncorhynchus					
	mykiss)					
	LC50: 65.6 - 137.6 mg/L,					
	96h static (Lepomis					
	macrochirus)					
	LC50: = 320 mg/L, 96h					
	(Lepomis macrochirus) LC50: 113.6 - 155.7 mg/L,					
	96h flow-through (Lepomis					
	macrochirus)					
	LC50: > 139 mg/L, 96h static					
	(Cyprinus carpio)					
Persistence and Degradability	May persist based on information available.					
Bioaccumulation/ Accumulation	No information available.					
Bloaccumulation/ Accumulation						
Mobility Will likely be mobile in the environment due to its water solubility.						
	12 Disposal considerations					
	13. Disposal considerations					
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a					
	hazardous waste. Chemical waste generators must also consult local, regional, and					
	national hazardous waste regulations to ensure complete and accurate classification.					
	14. Transport information					
DOT						
UN-No	UN3087					
Proper Shipping Name	OXIDIZING SOLID, TOXIC, N.O.S.					
Proper technical name	Potassium dichromate					
Hazard Class	5.1					
Subsidiary Hazard Class	6.1					
Packing Group	II					
TDG						
UN-No	UN3087					
Proper Shipping Name	OXIDIZING SOLID, TOXIC, N.O.S.					

UN-NO	UN3087
Proper Shipping Name	OXIDIZING SOLID, TOXIC, N.O.S.
Hazard Class	5.1
Subsidiary Hazard Class	6.1
Packing Group	II
IATA	
UN-No	UN3087
Proper Shipping Name	OXIDIZING SOLID, TOXIC, N.O.S.
Hazard Class	5.1
Subsidiary Hazard Class	6.1
Packing Group	II
IMDG/IMO	
UN-No	UN3087
Proper Shipping Name	OXIDIZING SOLID, TOXIC, N.O.S.
Hazard Class	5.1
Subsidiary Hazard Class	6.1
Packing Group	II
	15 Dec later 1.0

15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Potassium dichromate	Х	Х	-	231-906-6	-		Х	Х	Х	Х	Х

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

Component	TSCA 12(b)					
Potassium dichromate		Section 6				
SARA 313						
Component	CAS	6-No	Weight %	SARA 313 - Threshold		
				Values %		
Potassium dichromate	7778	-50-9	>95	0.1		

SARA 311/312 Hazard Categories

Yes
Yes
No
No
Yes

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Potassium dichromate	X	10 lb	Х	-

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Potassium dichromate	Х		-

OSHA Occupational Safety and Health Administration Not applicable

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Potassium dichromate	5 μg/m³ TWA	-
	2.5 µg/m ³ Action Level	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Potassium dichromate	10 lb	-
California Proposition 65		

California Proposition 65 I his product contains the following proposition 65 chemicals

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category
Potassium dichromate	7778-50-9	Carcinogen	0.001 µg/day	Developmental
		Developmental		Carcinogen

	Female Reproductive Male Reproductive				
U.S. State Right-to-Know Regulations	1				
Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Potassium dichromate	X	Х	X	X	X

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

16. Other information		
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com	
Creation Date Revision Date Print Date Revision Summary	08-Jul-2009 25-May-2017 25-May-2017 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS