

for Health and Beauty Products

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name:	Isopropyl Alcohol 99%
Item Number:	883AA
Other means of identification	
Synonyms:	None

#### Recommended use of the chemical and restrictions on use

Recommended Use:	First Aid
Uses advised against:	No information available

### Details of the supplier of the safety data sheet

Supplier Address Vi-Jon Inc. 8515 Page Avenue Saint Louis MO 63114 US Phone:18004249300 Fax:3144271010 Contact:Paula Korman Email:pkorman@vijon.com Contact Phone3145921474

#### Emergency telephone number

Chemtrec: 1-800-424-9300 (24-Hour)

# 2. HAZARDS IDENTIFICATION FOR INDUSTRIAL SETTING

### **Classification**

This product contains a chemical or chemicals considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122).

Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 3

# GHS Label elements, including precautionary statements

	Emergency Overview	
Signal word	Warning	
	Hazard statements May cause drowsiness or dizziness Causes eye irritation Flammable liquid and vapor	
Appearance Clear, Colorless, Water thin liquid	Physical State Water thin liquid	Odor Alcohol

### **Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge Keep cool

### **Precautionary Statements – Response**

Specific treatment (see supplemental first aid instructions on this label)

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction.

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

#### Hazards not otherwise classified (HNOC) Not Applicable

**Unknown Toxicity** 0% of the mixture consists of ingredient(s) of unknown toxicity

### Other information

May be harmful if swallowed May be harmful if inhaled Prolonged or repeated contact may dry skin and cause irritation

### Interactions with Other Chemicals

No information available

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %	Trade Secret
Isopropyl Alcohol 99% by volume	67-63-0	50-100	*
Water	7732-18-5	0-10	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret 

4. FIRST AID MEASURES			
First aid measures			
Eye Contact	In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.		
Skin Contact	In the case of skin irritation or allergic reactions see a physician.		
Inhalation	Move victim to fresh air. Apply artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult.		
Ingestion	Do NOT induce vomiting. Clean mouth with water and afterwards drink plenty of water. Never give anything by mouth to an unconscious person. Consult a physician.		
Protection of First-aiders	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.		
Most important symptoms and effect	ts, both acute and delayed		
Most Important Symptoms/Effects	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting		
Indication of any immediate medica	attention and special treatment needed		
Notes to Physician	Keep victim warm and quiet. Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.		

# **5. FIRE-FIGHTING MEASURES**

### Suitable Extinguishing Media

Dry chemical, CO<sub>2</sub>, water spray, fog or alcohol-resistant foam.

### **Unsuitable Extinguishing Media**

CAUTION: This product has a very low flash point. Use of water spray when fighting fire may be inefficient. Do not use straight streams.

#### **Specific Hazards Arising from the Chemical**

Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard.

#### **Uniform Fire Code** Flammable Liquid: I-B Irritant: Liquid

Hazardous Combustion Products

Carbon oxides.

Explosion Data **Sensitivity to Mechanical Impact** No Yes

Sensitivity to Static Discharge

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Move containers from fire area if you can do it without risk.

### 6. ACCIDENTAL RELEASE MEASURES FOR INDUSTRIAL SETTING

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Stop leak if you can do it without risk.	
Other Information	Water spray may reduce vapor; but may not prevent ignition in closed spaces.	
Environmental precautions		
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas.	
Methods and material for containmen	t and cleaning up	
Methods for Containment	A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.	
Methods for Cleaning Up	Soak up with inert absorbent material. Use clean non-sparking tools to collect absorbed material and transfer to properly labeled containers. Keep in suitable and closed containers for disposal.	

# 7. HANDLING AND STORAGE FOR INDUSTRIAL SETTING

#### Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Keep away from heat, sparks and open flame. No smoking.

### Conditions for safe storage, including any incompatibilities

StorageKeep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat<br/>and sources of ignition. Keep in properly labeled containers. Do not store near combustible<br/>materials. Keep in an area equipped with sprinklers

**Incompatible Products** 

Strong oxidizing agents. Acids. Chlorinated compounds.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION FOR INDUSTRIAL SETTING

#### Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm 10% LEL TWA: 980 mg/m <sup>3</sup> TWA: 400 ppm STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

#### **Other Exposure Guidelines**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

#### Appropriate engineering controls

reprepriete engineering centre	
Engineering Measures	Showers Eyewash stations Ventilation systems
Individual protection measures,	such as personal protective equipment
Eye/Face Protection	Tightly fitting safety goggles.
Skin and Body Protection	Wear protective gloves/clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves. Antistatic boots
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Wash hands before breaks and immediately after handling the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties Physical State Appearance Color	Water thin liquid Clear, Colorless, Water thin liquid No information available	Odor Odor Threshold	Alcohol No information available
Property	Values	Remarks/ Method	
рН	No data available	None known	
Melting/freezing point	No data available	None known	
Boiling Point/Range	No data available	None known	
Flash Point	-11C / 12F	None known	
Evaporation rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limits in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	Miscible with water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/water		None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity		None known	
Explosive Properties	No data available		
Oxidizing Properties	No data available		
<u>Other Information</u> Softening Point VOC Content (%)	No data available No data available		

# **10. STABILITY AND REACTIVITY FOR INDUSTRIAL SETTING**

#### Reactivity

No data available.

### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

# Conditions to avoid

Heat, flames and sparks.

### Incompatible materials

Strong oxidizing agents. Acids. Chlorinated compounds.

### **Hazardous Decomposition Products**

Carbon oxides.

When used in accordance with the directions.

### **11. TOXICOLOGICAL INFORMATION FOR INDUSTRIAL SETTING**

There is no data for this product. The information included in this section describes the potential hazards of the individual ingredients.

### Information on likely routes of exposure

**Product Information** 

Inhalation	May cause drowsiness and dizziness.	
Eye Contact	Irritating to eyes.	
Skin Contact	There is no data available for this product.	
Ingestion	There is no data available for this product.	

#### **Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropyl Alcohol	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rabbit)	= 16000 ppm (Rat) 8 h
67-63-0			

#### Information on toxicological effects

Symptoms

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

#### **Mutagenic Effects**

No information available.

### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol		Group 3		Х
67-63-0				

IARC: (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans OSHA: (Occupational Safety & Health Administration) X - Present

Reproductive Toxicity STOT - single exposure STOT - repeated exposure Chronic Toxicity Target Organ Effects

**Aspiration Hazard** 

No information available. No information available. No information available. No known effect based on information supplied. Eyes. Respiratory system. Skin. Central nervous system (CNS). No information available.

### Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 4,440.00 mg/kg ATEmix (dermal) 12,929.00 mg/kg (ATE) ATEmix (inhalation-dust/mist) 16,162.00ATEmix

### **12. ECOLOGICAL INFORMATION FOR INDUSTRIAL SETTING**

There is no ecological data on the Product. The Product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.

#### Ecotoxicity

The environmental impact of this product has not been fully investigated.

#### Persistence and Degradability

No information available.

# **Bioaccumulation**

No information available.

### **Other Adverse Effects**

No information available.

# 13. DISPOSAL CONSIDERATIONS FOR INDUSTRIAL SETTING

Waste treatment methods	
Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261).
Contaminated Packaging	Dispose of in accordance with local regulations.
US EPA Waste Number	D001
California Hazardous Waste Codes	212

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical I		California Hazardous Waste				
Isopropyl A 67-63-		Toxic Ignitable				
	14. TRANSPORT INFORMATION					
DOT						
Proper Shipping Name	CONSUMER COMMODITY	(				
Hazard Class	ORM-D					
Subsidiary Class Description	CONSUMER COMMODIT					
Emergency Response Guide Num		r, ORM-D				
TDG						
UN-No	UN1219					
Proper Shipping Name	ISOPROPANOL					
Hazard Class	3					
Packing Group	II					
Description	UN1219, ISOPROPANOL,	3, II				
MEX						
UN-No	UN1219					
Proper Shipping Name Hazard Class	ISOPROPANOL					
Packing Group	3 II					
Description	UN1219 ISOPROPANOL, 3	3				
ICAO		-,				
UN-No	UN1219					
Proper Shipping Name	ISOPROPANOL					
Hazard Class	3					
Packing Group	П					
Description	UN1219, ISOPROPANOL,	3, II				
ΙΑΤΑ						
UN-No	UN1219					
Proper Shipping Name	ISOPROPANOL					

Revision Date: None

# 15. REGULATORY INFORMATION FOR INDUSTRIAL SETTING

### International Inventories

TSCA DSL Exempt

All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Isopropyl Alcohol - 67-63-0	67-63-0	50-100	1.0

### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

### Clean Water Act

This product does not contain any ingredients regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any ingredients regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

### U.S. State Regulations

### California Proposition 65 - NONE

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Isopropyl Alcohol	Х	Х	Х	Х	
67-63-0					

### International Regulations

Mexico - Grade

No information available.

### National occupational exposure limits

Chemical	Name	Carcinogen Status	Exposure Limits
Isopropyl A	Alcohol		Mexico: TWA 400 ppm
			Mexico: TWA 980 mg/m <sup>3</sup>
			Mexico: STEL 500 ppm
			Mexico: STEL 1225 mg/m <sup>3</sup>

### Canada

WHMIS Hazard Class B2 D2B



16. OTHER INFORMATION					
<u>NFPA</u>	Health Hazard 2	Flammability 3	3	Instability 0	Physical and Chemical Hazards - None
HMIS	Health Hazard 2	Flammability	3	Physical Hazard 0	Personal Protection X
Prepared By	WERCS Professional Services, LLC 23 British American Blvd. Latham, NY 12110 1-800-572-6501				
Issuing Date	March 4	, 2014			
<b>Revision Date</b>	None				
<b>Revision Note</b>	None				

#### General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Approved and Updated by Vi-Jon, Inc.

#### Disclaimer:

The information and recommendations contained in the Material Safety Data Sheet (MSDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof.

Vi-Jon, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will Vi-Jon be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information.

No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made hereunder with respect to information or the product to which the information refers. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this MSDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

End of Safety Data Sheet