

# WATER SOLUTIONS

# FREMONT OXY 4513 Oxygen Scavenger Treatment

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 02/01/2015

Supersedes: 11/16/2010

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1.

Trade name

: FREMONT OXY 4513 Oxygen Scavenger Treatment

Product form

Relevant identified uses of the substance or mixture and uses advised against 1.2.

Use of the substance/mixture

: Boiler water oxygen scavenger

Details of the supplier of the safety data sheet

FREMONT INDUSTRIES, INC. 4400 Valley Industrial Blvd. N.

P.O. Box 67

Shakopee, MN 55379-0067

Emergency telephone number

Emergency number

(952) 445-4121

CHEMTREC: (800) 424-9300

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification (GHS-US) Skin Corr. 1A H314

# Label elements

**GHS-US** labeling

Hazard pictograms (GHS-US)



GHS05

Signal word (GHS-US)

Danger

Hazard statements (GHS-US)

Precautionary statements (GHS-US)

H314 - Causes severe skin burns and eye damage

P260 - Do not breathe mist

P264 - Wash skin thoroughly after handling P280 - Wear eye protection, protective gloves

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

for breathing

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician P321 - Specific treatment (see first aid instructions on this label)

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/container to licensed waste handling facility

#### Other hazards

No additional information available

Unknown acute toxicity (GHS-US)

No data available

# Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 3: Composition/information on ingredients

#### Substance

Not applicable

3.2 Mixture

Name	Product identifier	%
Potassium hydroxide	(CAS No.) 1310-58-3	< 2

#### **SECTION 4: First aid measures**

Description of first aid measures

First-aid measures general Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible).

First-aid measures after inhalation Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician.

First-aid measures after skin contact Immediately rinse with plenty of water (for at least 15 minutes). Get medical advice/attention.

Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes First-aid measures after eye contact

minimum). Get medical advice/attention.

First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : May cause headache, nausea and irritation of respiratory tract.

Symptoms/injuries after skin contact : Highly corrosive to skin. Symptoms/injuries after eye contact : Causes serious eye burns.

Symptoms/injuries after ingestion Severe irritation or burns to the mouth, throat, esophagus, and stomach. Possible esophageal

perforation

Chronic symptoms : No data available

Indication of any immediate medical attention and special treatment needed

No additional information available.

# **SECTION 5: Firefighting measures**

#### Extinguishing media

suitable extinguishing media : Water spray, Carbon dioxide, Alcohol-resistant foam, Dry powder,

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable

Explosion hazard : Product is not explosive.

Reactivity : No dangerous reactions known under normal conditions of use.

Advice for firefighters

Firefighting instructions Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Do not dispose of fire-fighting water in the environment.

Do not enter fire area without proper protective equipment, including respiratory protection. Protection during firefighting

# SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures Evacuate area. Keep upwind. Ventilate area. Spill should be handled by trained cleaning

personnel properly equipped with respiratory and eye protection.

6.1.1. For non-emergency personnel

Protective equipment : Wear Protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air

respirator, in case of emergency

#### 6.2. **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams

Methods for cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in

a suitable container for disposal in accordance with the waste regulations (see Section 13).

SDS - Form Revision 15/02/01-D Page 2 / 6

# Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 6.4. Reference to other sections

No additional information available

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not breathe mists. Keep away from sources of ignition - No smoking.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Heat sources.

Keep container closed when not in use.

Incompatible materials

: Strong acids. Strong oxidizers.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Potassium hydroxide (1310-58-3)	
ACGIH Ceiling (mg/m³)	2 mg/m³
OSHA PEL (Ceiling) (mg/m³)	2 mg/m³ vacated

#### 8.2. Exposure controls

Appropriate engineering controls

: Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Gloves. Protective goggles. Face shield. Protective clothing. Respiratory protection of the

dependent type.









Hand protection

: Protective gloves made of rubber.

Eye protection

Eye protection, including both chemical splash goggles and face shield, must be worn when

possibility exists for eye contact due to spraying liquid or airborne particles.

Skin and body protection

Corrosionproof clothing.

Respiratory protection

: In case of insufficient ventilation, wear suitable respiratory equipment.

### SECTION 9: Physical and chemical properties

# Information on basic physical and chemical properties

Physical state

: Liquid

Appearance

: Clear.

Color

Coloriess.

Odor

: none to slight.

Odor Threshold

No data available

11

No data avallable

12 - 13

Relative evaporation rate (butyl acetate=1)

No data available

Melting point

No data available

Freezing point

No data available

Boiling point

100 °C

Flash point

No data available

Self ignition temperature

No data available

Decomposition temperature

No data available

Flammability (solid, gas)

No data available

Vapor pressure

No data available

Relative vapor density at 20 °C

No data available

: No data available

Relative density

1.16 - 1.17

O-1-1-111

1.16 - 1.17

Solubility

Complete solubility in water.

Log Pow Log Kow No data available

SDS – Form Revision 15/02/01-D

Page 3 / 6

# Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosive limits : No data available

#### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

# 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

Sparks. Heat. Open flame.

## 10.5. Incompatible materials

Strong acids. Strong oxidizing agents. Soft metals (aluminum, copper, brass).

#### 10.6. Hazardous decomposition products

Thermal decomposition generates: Carbon oxides (CO, CO2). Sulfur oxides. Nitrogen oxides.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity Not classified

Potassium hydroxide (1310-58-3)		and protection of the second s	1 2
LD50 oral rat		214 mg/kg	
Skin corrosion/irritation	:	Causes severe skin burns and eye damage.	
		pH: 12 - 13	
Serious eye damage/irritation	*	Not classified	
		pH: 12 - 13	
Respiratory or skin sensitization	1	Not classified	
Germ cell mutagenicity	1	Not classified .	
Carcinogenicity	:	Not classified	
Reproductive toxicity	1	Not classified	
Specific target organ toxicity (single exposure)	:	Not classified	
Specific target organ toxicity (repeated exposure)	:	Not classified	
Aspiration hazard	:	Not classified	
Symptoms/injuries after inhalation	:	May cause headache, nausea and irritation of respiratory tract.	
Symptoms/injuries after skin contact	:	Highly corrosive to skin.	
Symptoms/injuries after eye contact	:	Causes serious eye burns.	
Symptoms/injuries after ingestion	:	Severe irritation or burns to the mouth, throat, esophagus, and stomach. Possible esophage perforation.	al
Chronic symptoms	:	No data available.	

# **SECTION 12: Ecological information**

12.1. Toxicity

Ecology - general : No information available.

### 12.2. Persistence and degradability

FREMONT OXY 4513 Oxygen Scavenger Treat	tment
Persistence and degradability	No information available.

SDS – Form Revision 15/02/01-D Page 4 / 6

# Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.3. Bioaccumulative potential

FREMONT OXY 4513 Oxygen Scavenger Trea	tment		
Bioaccumulative potential	No information available.	to a contract of	100 x 10, 10,

#### 12.4. Mobility in soil

FREMONT OXY 4513 Oxygen Scavenger Trea	tment	
Ecology - soil	No data available.	equinant plant for the

#### 12.5. Other adverse effects

Other adverse effects : No data available.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods : Do not discharge to public wastewater systems without permit of pollution control authorities. No

discharge to surface waters is allowed without an NPDES permit.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not allow the product

: 8 - Class 8 - Corrosive material 49 CFR 173.136

to be released into the environment.

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA

14.1. UN number

Transport document description : UN1760, CORROSIVE LIQUIDS, N.O.S. (POTASSIUM HYDROXIDE), 8, PGII

UN-No.(DOT) : 1760 DOT NA no. UN1760

14.2. UN proper shipping name

DOT Proper Shipping Name : Corrosive liquids, n.o.s.

(Potassium hydroxide)

Department of Transportation (DOT) Hazard

Classes

Hazard labels (DOT) : 8 - Corrosive substances



Packing group (DOT) : II - Medium Danger

14.3. Additional information

Other information : No supplementary information available.

Overland transport

No additional information available

Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel

DOT Vessel Stowage Other : 52 - Stow "separated from" acids

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 1 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 30 L

CFR 175.75)

## **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

FREMONT OXY 4513 Oxygen Scavenger Trea	atment
All chemical substances in this product are listed	d in the EPA (Environmental Protection Agency) TSCA (Toxic Substances Control Act) Inventory
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

Page 5 / 6

#### Potassium hydroxide (1310-58-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 313 (Specific toxic chemical listings)

SDS – Form Revision 15/02/01-D

# Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potassium hydroxide (1310-58-3)		1	
RQ (Reportable quantity, section 304 of EPA's List of Lists):	1000 lb		H14.77 1 4
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard		

#### 15.2. International regulations

#### CANADA

Potassium hydroxide (1310-58-3)	
Listed on the Canadian DSL (Domestic Substances List) inventory.	

#### **EU-Regulations**

No additional information available

#### 15.2.2. National regulations

#### Potassium hydroxide (1310-58-3)

Listed on the AICS (the Australian Inventory of Chemical Substances)

Listed on Inventory of Existing Chemical Substances (IECSC)

Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.

Listed on KECI (Chemical Inventory of Korea)

## 15.3. US State regulations

#### Potassium hydroxide (1310-58-3)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

### **SECTION 16: Other information**

Indication of changes

: Revision – September 2013 - New SDS Created. This sheet has been revised completely

(changes were not marked).

Other information

: Author: AM.

NFPA health hazard

: 3 - Short exposure could cause serious temporary or

residual injury even though prompt medical attention was

given.


NFPA fire hazard

: 0 - Materials that will not burn.

NFPA reactivity

: 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



# HMIS III Rating

Health : 3
Flammability : 0
Physical : 0
Personal Protection : :

FREMONT'S PRODUCTS ARE SOLD "AS IS." FREMONT MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO ITS PRODUCTS OR RELATED SERVICES. ALL SUCH EXPRESS AND IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE SPECIFICALLY DISCLAIMED.