Safety Data Sheet

Issue Date: April 1 2015 Revision Date: 02-Dec-2014

1. IDENTIFICATION

Product Identifier

Product Name Champion Muriatic Acid

Other means of identification

SDS # CPD-018

UN/ID No UN1789

Recommended use of the chemical and restrictions on use
Recommended Use Pool Water Ph Adjuster.

Details of the supplier of the safety data sheet

Supplier Address

Champion Packaging & Distribution 1840 International pkwy Woodridge, IL 60517

Emergency Telephone Number

Company Phone Number 630-972-0100

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Colorless liquid Physical State Liquid Odor Sharp, pungent, irritating odor

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

Signal Word

Danger

Hazard Statements

Harmful if inhaled Causes severe skin burns and eye damage

May cause respiratory irritation. May cause drowsiness or dizziness



Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Hydrochloric acid	7647-01-0	30-40

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice Immediately call a poison center or doctor/physician.

Eye Contact Wash eyes immediately with large amounts of water (preferably eye wash fountain), lifting

the upper and lower eyelids and rotating eyeball. Continue washing for a minimum of 15

minutes. Get medical attention immediately.

Skin Contact Remove contaminated clothing and wash skin thoroughly for a minimum of 15 minutes with

large quantities of water (preferably a safety shower). Get medical attention immediately.

Wash clothing before re-use. Destroy contaminated shoes.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

breathing has stopped, give artificial respiration. Immediately call a poison center or

doctor/physician.

Ingestion Rinse mouth. Do not induce vomiting. If conscious give large amounts of water. Get

medical attention immediately.

Most important symptoms and effects

Symptoms May be harmful if swallowed. Harmful if inhaled. Causes severe skin burns and eye

damage. May cause respiratory irritation. May cause drowsiness or dizziness.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

No fire hazards exist directly from Hydrochloric Acid; however, when Hydrochloric Acid comes in contact with common metals, it can generate hydrogen gas. In sufficient concentrations, hydrogen can form explosive mixtures in air.

Hazardous Combustion Products Contact with common metals produces hydrogen which may form explosive mixtures with air. Thermal decomposition may release corrosive hydrogen chloride gas. Contact with strong oxidizers may produce chlorine gas. Reacts with formaldehyde to produce bischloromethyl ether, OSHA regulated carcinogen.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required. Do not breathe vapors.

Methods and material for containment and cleaning up

Methods for Containment Evacuate area and deny entry by unauthorized personnel. Keep upwind.

Methods for Clean-Up For large spills, contain and pump into tank that has been constructed for Hydrochloric Acid

service. Knock down vapors with water spray or water fog. Water used to knock down vapors may become corrosive and should be contained properly for later disposal. Neutralize spill with lime, sodium bicarbonate or crushed limestone. Since neutralization with these bases will generate heat (exothermic), the reaction can be violent. The acid should be diluted and cooled before attempting to neutralize. Do not flush to sewer before neutralizing. For small spills, take up with sand or other absorbent material and react with dry alkali (soda ash or lime). Place into container for later disposal. Spills of 5,000 pounds or more must be reported to the National Response Center (800-424-8802) pursuant to the

Comprehensive Environmental Response, Compensation and Liability Act.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use only outdoors

or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Wear protective gloves/protective

clothing and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Store in a well-ventilated place. Keep container tightly closed. Hydrochloric

Acid should be handled and stored in equipment suitable and designed for acid service.

Store away from incompatible materials.

Incompatible Materials Oxidizers. Metals. Caustics.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrochloric acid	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm	IDLH: 50 ppm
7647-01-0		(vacated) Ceiling: 7 mg/m ³	Ceiling: 5 ppm
		Ceiling: 5 ppm	Ceiling: 7 mg/m ³
		Ceiling: 7 mg/m ³	

Appropriate engineering controls

Engineering Controls Provide local exhaust or process enclosure ventilation to maintain levels below the

recommended exposure limit. Prevent any condensate formed from dropping on workers. Eye wash and safety showers should be immediately available. Full acid suits and

NIOSH/MSHA approved self-contained breathing apparatus should be readily available to

handle major spills.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Splash-proof safety goggles and a full-face shield to prevent contact.

Skin and Body Protection Rubber or neoprene gloves and boots, and acid resistant coats or overalls appropriate for

work conditions.

Respiratory Protection Full-face NIOSH/MSHA approved respirator for acid gases. Do not exceed the working

limits of the respirator.

General Hygiene Considerations Employees should wash their hands and face before eating, drinking or using tobacco.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceColorless to slightly yellow liquidOdorSharp, pungent, irritating

odor

Color Colorless to slightly yellow Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

H

Melting Point/Freezing Point Not determined

Boiling Point/Boiling Range 61°C-110°C (142°F-230°F)

Flash Point Not flammable
Evaporation Rate Not determined
Flammability (Solid, Gas) Liquid-Not applicable

Upper Flammability LimitsNot availableLower Flammability LimitNot availableVapor Pressure78 mm Hg

Vapor Density 1.27

Specific Gravity Approximately 1.18

Property Values

Water Solubility Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

@ 68°F (20 ° C)

(Air=1) @ 68°F (20°C)

Remarks • Method

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization This substance does not polymerize.

Conditions to Avoid

Incompatible Materials.

Incompatible Materials

Oxidizers. Metals. Caustics.

Hazardous Decomposition Products

Contact with common metals produces hydrogen which may form explosive mixtures with air. Thermal decomposition may release corrosive hydrogen chloride gas. Contact with strong oxidizers may produce chlorine gas. Reacts with formaldehyde to produce bischloromethyl ether, OSHA regulated carcinogen.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes severe eye damage.

Skin Contact Causes severe skin burns.

Inhalation Harmful if inhaled.

Ingestion May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrochloric acid	= 700 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 3124 ppm (Rat) 1 h
7647-01-0			

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrochloric acid		Group 3		
7647-01-0		•		

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

STOT - single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrochloric acid 7647-01-0		282: 96 h Gambusia affinis mg/L LC50 static		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note For IBC's "totes", the product is shipped as UN1789, HYDROCHLORIC ACID, 8, II.

DOT

UN/ID No UN1789

Proper Shipping Name Hydrochloric acid

Hazard Class 8
Packing Group ||

<u>IA I A</u>

Proper Shipping Name The product as packaged is not approved for air transportation.

IMDG

UN/ID No UN1789

Proper Shipping Name Hydrochloric acid

Hazard Class 8
Packing Group ||

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Hydrochloric acid	Present	Х		Present		Present	Х	Present	Χ	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrochloric acid	5000 lb	5000 lb	RQ 5000 lb final RQ
7647-01-0			RQ 2270 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Hydrochloric acid - 7647-01-0	7647-01-0	32	1.0

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrochloric acid	5000 lb			X

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydrochloric acid	X	X	X
7647-01-0			

16. OTHER INFORMATION

NFPA Health Hazards Flammability Instability Special Hazards

Not determined 2 COR

HMIS Health Hazards Flammability Physical Hazards Personal Protection

Not determined 3 F

Issue Date:01-April 2015Revision Date:02-Dec-2014Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet